


NASA TECHNICAL MEMORANDUM

NASA TM-82422

PAYLOAD OPERATIONS CONTROL CENTER (POCC) TIMELINE ANALYSIS PROGRAM

By Dr. David L. Shipman,
Steven R. Noneman, and
E. Steven Terry
Systems Analysis and Integration Laboratory



April 1981

NASA

*George C. Marshall Space Flight Center
Marshall Space Flight Center, Alabama*

1. REPORT NO. NASA TM-82422	2. GOVERNMENT ACCESSION NO.	3. RECIPIENT'S CATALOG NO.	
4. TITLE AND SUBTITLE Payload Operations Control Center (POCC) Timeline Analysis Program		5. REPORT DATE April 1981	
		6. PERFORMING ORGANIZATION CODE	
7. AUTHOR(S) Dr. David L. Shipman, Steven R. Noneman, and E. Steven Terry		8. PERFORMING ORGANIZATION REPORT #	
9. PERFORMING ORGANIZATION NAME AND ADDRESS George C. Marshall Space Flight Center Marshall Space Flight Center, Alabama 35812		10. WORK UNIT NO.	
		11. CONTRACT OR GRANT NO.	
12. SPONSORING AGENCY NAME AND ADDRESS National Aeronautics and Space Administration Washington, D.C. 20546		13. TYPE OF REPORT & PERIOD COVERED Technical Memorandum	
		14. SPONSORING AGENCY CODE	
15. SUPPLEMENTARY NOTES Prepared by Systems Analysis and Integration Laboratory, Science and Engineering			
16. ABSTRACT This document is a user's manual for the operation of the Payload Operations Control Center (POCC) Timeline Analysis Program which is used to provide POCC activity and resource information as a function of mission time. This program is fully automated and interactive, and is equipped with tutorial displays. The tutorial displays are sufficiently detailed for use by a program analyst having no computer experience. The POCC Timeline Analysis Program is designed to operate on the VAX/VMS version V2.1 computer system.			
17. KEY WORDS		18. DISTRIBUTION STATEMENT Unclassified-Unlimited	
19. SECURITY CLASSIF. (of this report) Unclassified	20. SECURITY CLASSIF. (of this page) Unclassified	21. NO. OF PAGES 79	22. PRICE NTIS

ACKNOWLEDGMENTS

The authors wish to express appreciation to the design/programming team headed by Steve Terry and assisted by Elaine Flowers, Julie Andrews, and Carol Garrett for their programming work, and to Jerry Weiler for his assistance in providing mission timeline data.

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	POCC TIMELINE ANALYSIS PROGRAM SYSTEM DESCRIPTION	1
3.0	POCC TIMELINE INPUT CARDS	2
4.0	POCC TIMELINE ANALYSIS PROGRAM REPORTS.....	3
5.0	POCC TIMELINE ANALYSIS PROGRAM OPERATING... PROCEDURES	3

APPENDICES

A	POCC RESOURCE ROUTINES AND FILE STRUCTURE SPECIFICATION	9
B	POCC TIMELINE INPUT CARD FORMAT SPECIFICATION AND FIELD.....	27
C	POCC TIMELINE ANALYSIS PROGRAM REPORTS	37
D	POCC RESOURCE PROGRAMS, VAX OPERATING PROCEDURES.....	59

PRECEDING PAGE BLANK NOT FILMED

LIST OF ILLUSTRATIONS

Figure	Title	Page
1.	POCC Facility (Preliminary)	5
2.	POCC Organization	6
3.	Data System Requirements Schematic	7
4.	POCC Timeline Analysis Program System Flow Chart.....	8
B-1.	Structure of a POCC Resource Input File.....	35
C-1.	Reports Directory.....	39
C-2.	Sample Reports	40

TEMPLE TOWNSHIP BOARD OF EDUCATION

TECHNICAL MEMORANDUM

PAYLOAD OPERATIONS CONTROL CENTER (POCC) TIMELINE ANALYSIS PROGRAM

1.0 INTRODUCTION

The Payload Operations Control Center (POCC) Timeline Analysis Program provides POCC activity and resource utilization information as a function of mission time. A prototype version of the program will be used to support the Spacelab 1 Flight Operations Review in April 1981. A final version of the program will be developed to support Spacelab 1 Mission Operations.

The design philosophy has been to use structured software techniques to ensure logical and information independence of the software modules. This work has been carried out by the Operations Planning and Analysis Branch (EL12) of the NASA/MSFC, Systems Analysis and Integration Laboratory.

2.0 POCC TIMELINE ANALYSIS PROGRAM SYSTEM DESCRIPTION

The POCC Timeline Analysis Program is designed to provide resource utilization reports to be used for scheduling POCC activities within the user rooms and payload control room shown in Figure 1. In this instance, there are a number of experimenters and support personnel (Fig. 2) who are competing for the user rooms and terminals to assess Spacelab mission data being received at the POCC via the data system (Fig. 3). The scheduling process should ensure that the experimenters get maximum opportunity to monitor their own experiments relative to the monitoring opportunities of the other experiments.

The POCC Timeline Analysis Program is basically a Data Base Management System (Fig. 4) from which resource utilization reports can be extracted to be used in scheduling POCC activities. The POCC Timeline Analysis Program is installed in the VAX/VMS version V2.1 computer system. Maximum of the VAX software system is made both in putting data elements into and extracting data elements from the data base. A listing of resource routines (Table A-1) and the data base file structure (Table A-2) are included in Appendix A.




Figure 1. POCC facility (preliminary).




Figure 2. POC organization.




Figure 3. Data system requirements schematic.




Figure 4. POCC timeline analysis program system flow chart.

Information can be put into the data base using any one of the three editors of the VAX system or by reading the mission TL on/off files provided by EL22 (Fig. 4). However, prior to extracting a report, the user must use two programs to process the data base files. The first program, CHECK, is used to check the syntax of input data and the second program, MET, is used to correlate POCC activities to events occurring in the mission timeline.

The report generator programs can then be used to extract information from the data base and to compile reports. The compiled reports are then filed in a reports directory. At this point the user can operate the VAX system to call any report contained in the directory for viewing at the terminal display or for printing on the VAX line printer.

3.0 POCC TIMELINE INPUT CARD

Users of POCC resources are required to specify requirements using the POCC Timeline Input Card Formats described in Table B-1 of Appendix B. Specified user requirements will then be filed in the POCC Timeline Data Base (POCCTLDAT directory) by operations personnel for subsequent use in scheduling POCC activities and assessing POCC resource utilization.

There are 13 Data Input Card Formats (Table B-1) which are available to the user for specifying POCC resource requirements. General rules for use of the card formats are:

(1) The POCC user's resources are described by the POCC timeline input cards within an input file. Each user is defined by one input file. Each file must contain a header card which describes the user, at least one resource card describing resource attributes, and the paired set of initiate (INI) and terminate (TER) cards which denote start and stop time(s) of the resource in question.

(2) Each card has a three-letter mnemonic which can be used to determine the field specification for that card by referring to Table B-2 of Appendix B. Specifications for a completed card are: each intermediate field must be separated by a comma, and the last field must be followed by a semi-colon; a field may contain data up to the field size specified or may be left blank.

Typical examples of each card format are also included in Appendix B.

4.0 POCC TIMELINE ANALYSIS PROGRAM REPORTS

The following reports can be listed from the reports directory using the indicated file name:

File Names	Title
GSESUMMARY.LIS	POCC LOADS SUMMARY
MANSUMMARY.LIS	SUMMARY MANNING ANALYSIS
TMLBYROOM.LIS	ROOM (N) TERMINAL USER LIST
TMLSUMMARY.LIS	TERMINAL UTILIZATION SUMMARY
CMDSUMMARY.LIS	COMMANDING SUMMARY
ATGSUMMARY.LIS	AIR-TO-GROUND VOICE ANALYSIS
CMDWINDOW.LIS	COMMAND WINDOW REQUESTS
MANBYROOM.LIS	ROOM (N) MANNING ANALYSIS
RESSUMMARY.LIS	POCC RESOURCE REQUIREMENTS SUMMARY
CMDSUMERR.LIS	COMMANDING SUMMARY DIAGNOSTICS
<u>EXP No.</u> SUM.REP	POCC USER RESOURCE SUMMARY
<u>EXP No.</u> ENG	POCC TL INPUT (IN ENGLISH)

Examples of all reports are included in Appendix C and the procedure for listing a report is included in Section 5.0.

5.0 POCC TIMELINE ANALYSIS PROGRAM OPERATING PROCEDURES

The POCC Timeline Analysis Program is installed in the VAX/VMS Version V2.1 computer system. The user may utilize standard VAX login and logout procedures to use the POCC Timeline Analysis Program.

The VAX utility programs are available to the user after login. The user may find the HELP command useful to assist in using the utility programs. To use, execute command: \$HELP [RETURN].

To put data into the POCCTLDAT sub directory (Data Base), the user has a choice of three editors SOS, EDI, and EDT which are utility programs in the VAX. Instructions for using these editors are contained in the VAX system manuals.

To validate the POCCTLDAT subdirectory resource input data, the CHECK program is used. The program is tutorial and, upon completion of checking input data, it will put a verified file in the POCCTLDAT subdirectory.

To correlate POCCTLDAT subdirectory verified input files with the mission timeline, the MET program is used. This program is also tutorial and uses the POCCTLDAT directory verified input files. The MET program creates and updates the resource on-off files with the correlated resource timeline data. The resource on-off files reside on the main directory EL121.

To create reports, the nine report programs (ATGSUM, CMDSUM, CMDWIN, MANSUM, MANRM, TMLSUM, TMLRM, RESSUM, and GSESUM) are used. These programs are tutorial and will format the output and store it in the REPORTS subdirectory.

To print POCC inputs in English, the PINPUT program is used. This program is tutorial and puts an English file in the POCCTLDAT subdirectory for review by the user.

Any of these programs can be run by typing in its global symbol, e.g., \$CHECK [RETURN]. The program's global symbols and titles are:

Global Symbol	Title
CHECK	POCC INPUT SYNTAX CHECKING PROGRAM
MET	POCC MET CORRELATION PROGRAM
PINPUT	PRINT POCC INPUTS IN ENGLISH PROGRAM
ATGSUM	AIR-TO-GROUND SUMMARY REPORT PROGRAM
CMDSUM	COMMANDING SUMMARY REPORT PROGRAM
CMDWIN	COMMAND WINDOW REPORT PROGRAM
MANSUM	MANNING SUMMARY REPORT PROGRAM
MANRM	MANNING BY ROOM REPORT PROGRAM
TMLSUM	TERMINAL SUMMARY REPORT PROGRAM
TMLRM	TERMINAL BY ROOM REPORT PROGRAM
RESSUM	POCC RESOURCE REQUIREMENTS SUMMARY PROGRAM
GSESUM	GSE LOADS SUMMARY PROGRAM

To aid the user, examples of using the programs are included in Appendix D.

APPENDIX A
POCC RESOURCE ROUTINES AND FILE STRUCTURE

TABLE A-1

ROUTINES FOR DECODING FIELDS FROM POCC RESOURCE INPUT
CARDS IMAGES.

- 1) CALL CFIELD(CARD,IFNO,IOPT,FIELD,IERR)
- 2) CALL IFIELD(CARD,IFNO,MAXL,IOPT,NFIELD,IERR)
- 3) CALL RFIELD(CARD,IFNO,MAXL,IOPT,XFIELD,IERR)

THE FIRST ROUTINE (CFIELD) DECODES AN ALPHANUMERIC DATA FIELD FROM A CARD IMAGE. ROUTINE IFIELD DECODES INTEGER DATA FROM A FIELD. AND ROUTINE RFIELD DECODES REAL DATA FROM A FIELD.

A CARD IMAGE IS DEFINED A SET OF UP TO 80 CHARACTERS WITH FIELDS DENOTED BY COMMAS AND THE CARD IMAGE ENDING WITH A SEMI-COLON.

CALLING ARGUMENTS:

CARD - A CHARACTER STRING VARIABLE CONTAINING THE CARD IMAGE TO BE DECODED. THIS VARIABLE MUST BE DECLARED AS:
CHARACTER*80 BY THE CALLING PROGRAM.

IFNO - A INTEGER*4 VARIABLE OR CONSTANT THAT DENOTES THE FIELD NUMBER THAT IS TO BE DECODED. (IFNO > 0).

IOPT - AN INTEGER*4 VARIABLE OR CONSTANT WHICH MEANS:
=1 . THE FIELD IS OPTIONAL
=0 . THE FIELD IS NOT OPTIONAL

MAXL - AN INTEGER*4 VARIABLE OR CONSTANT WHICH DENOTES THE MAXIMUM FIELD WIDTH (NUMBER OF CHARACTERS) TO BE ALLOWED. THIS ARGUMENT IS USED ONLY IN ROUTINES IFIELD AND RFIELD.

TABLE A-1. (Concluded)

RETURNED ARGUMENTS:

FIELD - (ROUTINE CFIELD) - A CHARACTER*(length) VARIABLE THAT WILL CONTAIN THE DECODED DATA FROM THE SPECIFIED FIELD. IF AN ERROR OCCURS, FIELD WILL BE FILLED WITH BLANKS.

NOTE: THE CALLING PROGRAM MUST DECLARE FIELD TO BE CHARACTER*(length), WHERE length IS THE MAXIMUM FIELD WIDTH.

IFIELD - (ROUTINE IFIELD) - AN INTEGER*4 VARIABLE THAT WILL CONTAIN THE DECODED INTEGER DATA FROM THE SPECIFIED FIELD. IF AN ERROR OCCURS, IFIELD WILL BE EQUAL TO ZERO.

XFIELD - (ROUTINE RFIELD) - A REAL*4 VARIABLE THAT WILL CONTAIN THE DECODED REAL DATA FROM THE SPECIFIED FIELD. IF AN ERROR OCCURS, XFIELD WILL BE EQUAL TO 0.0.

IERR - THE RETURNED ERROR STATUS. THE VALUES AND DESCRIPTION ARE AS FOLLOWS (NOTE: THE ROUTINE WHICH RETURNS THE VALUE IS IN PARENTHESIS):

- = -1 , OPTIONAL FIELD IS EMPTY. (ALL)
- = 0 , NORMAL RETURN (ALL)
- = 1 , FIELD NOT FOUND (ALL)
- = 2 , NO SEMI-COLON FOUND (ALL)
- = 3 , NOT INTEGER DATA IN THE (IFIELD) FIELD.
- = 4 , NOT REAL DATA IN THE (RFIELD) FIELD.
- = 5 , FIELD IS GREATER THAN (IFIELD AND RFIELD) MAXL CHARS.

TABLE A-2

SUBROUTINES FOR ENCODING AND DECODING CHARACTER DATA FROM
A MIPS SUBJECT OR ON/OFF DATA ARRAY.

1) CALL TRANC_R(String,IST,IEND,ARRAY)

2) CALL TRANR_C(ARRAY,IST,IEND,String)

WHERE:

String - IS A CHARACTER VARIABLE WHICH CONTAINS:
1) THE CHARACTER DATA TO BE ENCODED INTO THE
ARRAY, OR
2) THE DECODED CHARACTER DATA FROM THE ARRAY.

NOTE: THE CHARACTER VARIABLE 'String' MUST HAVE
A DECLARED LENGTH IN MULTIPLES OF 4 BYTES.

ARRAY - IS THE MIPS SUBJECT OR ON/OFF RECORD DATA ARRAY,
AND MUST BE DIMENSIONED AS: REAL*4 ARRAY(15).

IST - IS THE STARTING WORD NUMBER OF THE ARRAY TO BE
ENCODED OR DECODED.

IEND - IS THE ENDING WORD NUMBER OF THE ARRAY TO BE
ENCODED OR DECODED.

EXAMPLES:

1) THE ARRAY 'DATA' CONTAINS THE ON/OFF RECORD DATA FROM WHICH
YOU WANT THE USER/EXPT NAME.

```
CHARACTER EXPT_NAME*8  
REAL*4 DATA(15)
```

·
·
·

```
CALL TRANR_C(DATA,5,6,EXPT_NAME)
```

THE SUBROUTINE TRANR_C DECODES WORDS 5 & 6 AND PLACES THE
CHARACTER DATA THAT IS IN THOSE WORDS INTO THE CHARACTER STRING
VARIABLE 'EXPT_NAME'.

TABLE A-2. (Concluded)

2) TO PLACE THE EXPT_NAME INTO THE DATA ARRAY.

·
·

CALL TRANC_R(EXPT_NAME,5,6,DATA)

THUS THE CHARACTER DATA IN THE CHARACTER STRING 'EXPT_NAME' IS
ENCODED INTO WORDS 5 & 6 OF THE DATA ARRAY.

NOTE: NEITHER OF THE ROUTINES WILL HARM ANY OF THE DATA RESIDING
IN THE OTHER WORDS OF THE DATA ARRAY.

TABLE A-3

ROUTINES TO ACCESS SUBJECT NAMES OR SUBJECT NUMBERS FROM
A RESOURCE ON/OFF FILE.

1) TO GET THE SUBJECT NUMBER GIVEN THE SUBJECT NAME:

CALL GET_SUB_NUM(LUN,FID,SNAME,NS)

WHERE:

LUN	-	IS THE LOGICAL UNIT NUMBER YOU HAVE OPENED THE RESOURCE ON/OFF FILE.
FID	-	IS THE 12 CHARACTER FILE ID THAT SUBROUTINE READOF USES FOR ERROR MESSAGES.
SNAME	-	IS THE 8 CHARACTER SUBJECT NAME THAT YOU WISH TO GET THE SUBJECT NUMBER FOR.
NS	-	IS THE RETURNED SUBJECT NUMBER. NS WILL BE EQUAL TO ZERO (0) IF THE SUBJECT NAME CANNOT BE FOUND.

2) TO GET THE SUBJECT NAME GIVEN THE SUBJECT NUMBER:

CALL GET_SUB_NAME(LUN,FID,NS,SNAME,*STMT)

WHERE:

LUN	-	(SAME AS ABOVE)
FID	-	(SAME AS ABOVE)
NS	-	IS THE SUBJECT NUMBER YOU WISH TO FIND THE SUBJECT NAME FOR.
SNAME	-	IS THE RETURNED 8-CHARACTER SUBJECT NAME.
*STMT	-	IS AN ALTERNATE RETURN PATH THAT IS USED IF THE SUBJECT NUMBER (AND NAME) CANNOT BE FOUND IN THE FILE.

TABLE A-4

SUBROUTINE TO OPEN A POCC RESOURCE ON/OFF FILE

CALL OPEN_OLDRES(LUN, NUMRES, FID, *STMT)

WHERE:

LUN	-	IS THE LOGICAL UNIT NUMBER YOU WISH TO OPEN THE ON/OFF FILE WITH.	
NUMRES	-	IS AN INTEGER NUMBER SPECIFYING WHICH RESOURCE FILE YOU WISH TO OPEN.	
		1 = A/G	2 = MAN
		3 = CMD	4 = TML
		5 = RTD	6 = GSE
		7 = PBD	
FID	-	IS THE RETURNED 12 CHARACTER STRING THAT IS USED WHEN CALLING ROUTINE READOF.	
*STMT	-	IS THE ALTERNATE RETURN PATH IF THE ROUTINE CANNOT FIND THE SPECIFIED RESOURCE ON/OFF FILE. (THIS MEANS THAT THE RESOURCE FILE HAS NOT BEEN CREATED.)	

TABLE A-5

ROUTINES TO ACCESS THE ON/OFF DATA FROM A RESOURCE
ON/OFF FILE.

THERE ARE SEVEN SUBROUTINE IN THE POCCLIB THAT
ACCESS THE SEVEN DIFFERENT POCC RESOURCE ON/OFF FILES.
THE FOLLOWING VARIABLES ARE COMMON TO ALL OF THE
ROUTINES (I.E., THEY APPEAR IN ALL OF THE CALL STMTS.)
AND THEY ARE DESCRIBED AS FOLLOWS:

- LUN - IS THE LOGICAL UNIT NUMBER YOU USED TO OPEN
THE FILE WITH.
- USER - IS THE 8-CHARACTER USER/EXPT. NAME YOU WISH
TO ACCESS ON/OFF DATA FOR (IN MODE=3).
OR IT IS THE RETURNED USER/EXPT NAME FROM
THE ON/OFF DATA WHEN ACCESSED IN MODE=5.
- MODE - IS THE ACCESS MODE.
3 = ACCESS THE FILE FORWARD BY ON TIME JUST
FOR THE SPECIFIED USER NAME.
5 = ACCESS THE FILE FORWARD BY ON TIME
REGARDLESS OF THE USER/EXPT NAME.
- IREC - IS THE RELATIVE RECORD NUMBER THAT YOU
WANT TO ACCESS. ON SEQUENTIAL CALLS, IF
YOU HAVE NOT CHANGED IREC, THEN THE ROUTINE
WILL AUTOMATICALLY INCREMENT IREC AND
ACCESS THE NEXT ON/OFF RECORD.

IF YOU WISH TO ACCESS ALL ON/OFF RECORDS,
THEN JUST SET IREC EQUAL TO 1, AND ON
SEQUENTIAL CALLS IT WILL AUTOMATICALLY
INCREMENT THRU ALL OF THE RECORDS YOU
WANT DEPENDING ON THE MODE.
- ON - IS THE RETURNED ON TIME (HRS.). THIS IS
A REAL*4 VARIABLE.
- OFF - IS THE RETURNED OFF TIME (HRS.) ALSO
REAL*4 .
- ITPT - IS THE RETURNED ACTIVITY TEXT POINTER.
- IERR - IS THE ERROR STATUS FLAG. ITS VALUES ARE:
0 = NO ERROR
1 = END OF FILE OR END OF SUBJECT
2 = BAD USER/EXPT NAME GIVEN (ONLY
MODE 3 ACCESS)
3 = INVALID MODE (NE 3 OR 5)
4 = FILE NOT TIME ORDERED (ONLY MODE 5
ACCESS)

TABLE A-5. (Continued)

1) AIR-TO-GROUND

CALL ATG(LUN,USER,MODE,IREC,ON,OFF,IDRFLG,ITPT,IERR)

THIS ROUTINE ACCESS THE AIR-TO-GROUND ON/OFF FILE AND RETURNS THE ON,OFF TIMES, THE TEXT POINTER, AND THE FOLLOWING:

IDRFLG - IS THE DESIRED/REQUIRED FLAG
0 = MEANS A/G IS DESIRED
1 = MEANS A/G IS REQUIRED

2) MANNING

CALL MAN(LUN,USER,MODE,IREC,ON,OFF,GROUPID,NUMBER,
1 NROOM,ITPT,IERR)

WHERE:

GROUPID - IS THE 12-CHARACTER GROUP-ID NAME.
NUMBER - IS THE NUMBER OF PERSONS.
NROOM - IS THE POCC ROOM NUMBER.

3) COMMANDING

CALL CMD(LUN,USER,MODE,IREC,ON,OFF,NTP,NTS,NHZ,
1 NCR,NROOM,ITPT,IERR)

WHERE:

NTP - IS THE NUMBER OF THRU-PUT COMMANDS.
NTS - IS THE NUMBER OF TWO-STAGE COMMANDS.
NHZ - IS THE NUMBER OF HAZARDOUS COMMANDS.
NCR - IS THE NUMBER OF CRITICAL COMMANDS.
NROOM - IS THE POCC ROOM NUMBER.

TABLE A-5. (Continued)

4) POCC TERMINAL USAGE

CALL TML(LUN,USER,MODE,IREF,ON,OFF,NUMTML,NROOM,
1 NUSAGE,ITPT,IERR)

WHERE:

NUMTML - IS THE NUMBER OF TERMINALS BEING USED.

NROOM - IS THE POCC ROOM NUMBER.

NUSAGE - IS THE TERMINAL USAGE TYPE.

1 = CMD ONLY	9 = NRT,CMD
2 = MON ONLY	10 = NRT,MON
3 = CMD,MON	11 = NRT,CMD,MON
4 = DMP ONLY	12 = NRT,DMP
5 = DMP,CMD	13 = NRT,DMP,CMD
6 = DMP,MON	14 = NRT,DMP,MON
7 = DMP,CMD, MON	15 = NRT,DMP,CMD, MON
8 = MON ONLY	

5) REAL-TIME DATA

SUBROUTINE RTD(LUN,USER,MODE,IREF,ON,OFF,NPHID,NSOURCE,
1 NDEST,ITPT,IERR)

WHERE:

NPHID - IS THE PHASE-ID NUMBER

NSOURCE - IS THE SOURCE TYPE

0 = Unknown	1 = ECIO
2 = DCHN	3 = BOTH ECIO AND DCHN

NDEST - IS THE DESTINATION TYPE

0 = Unknown	1 = GSE
2 = RTD	3 = NRT

TABLE A-5. (Concluded)

6) GROUND SUPPORT EQUIPMENT

CALL GSE(LUN,USER,MODE,IREC,ON,OFF,MACHLB,NROOM,
1 HEAT,POWER,ITPT,IERR)

WHERE:

MACHLB	-	IS THE 12-CHARACTER GSE MACHINE LABEL.
NROOM	-	IS THE POCC ROOM NUMBER.
HEAT	-	IS THE HEAT LOAD (REAL*4) VALUE IN KBTU/hr.
POWER	-	IS THE POWER LOAD (REAL*4) VALUE IN KVA.

7) PLAYBACK DUMP

CALL PBD(LUN,USER,MODE,IREC,ON,OFF,NPHID,NSOURCE,
1 NDEST,NVOICE,ITPT,IERR)

WHERE:

NPHID	-	IS THE PHASE-ID NUMBER.
NSOURCE	-	IS THE SOURCE TYPE. (SAME VALUES AS RTD)
NDEST	-	IS THE DESTINATION TYPE. (SAME VALUES AS RTD)
NVOICE	-	IS THE VOICE PLAYBACK FLAG. 0 = MEANS NOT VOICE PLAYBACK 1 = IS VOICE PLAYBACK

TABLE A-6

ROUTINE TO READ A PARTICULAR TARGET ON/OFF DATA
FROM THE TARGET ON/OFF FILE.

CALL TARGET(LTAR,TAR,IREC,IORD,ON,OFF,DUR,IERR)

WHERE:

LTAR	-	IS THE LOGICAL UNIT NUMBER USED TO OPEN THE TARGET ON/OFF FILE.
TAR	-	IS THE 8-CHARACTER NAME OF THE TARGET YOU WANT TO ACCESS.
IREC	-	IS THE RELATIVE RECORD NUMBER YOU WISH TO ACCESS. IF YOU SET IT EQUAL TO 1 AND DO NOT CHANGE IREC ON SEQUENTIAL CALLS, THEN THE ROUTINE WILL AUTOMATICALLY INCREMENT (OR DECREMENT) TO ACCESS THE NEXT (OR PREVIOUS) ON/OFF RECORD.
IORD	-	IS THE FORWARD/BACKWARD INDICATOR IF IORD.LT.0, ON/OFF RECORDS ARE ACCESSED BY DECREASING ON TIME. IF IORD.GE.0, ON/OFF RECORDS ARE ACCESSED BY INCREASING ON TIME. (NOTE: YOU CANNOT GO BACKWARDS THRU ON/OFF RECORDS UNLESS YOU HAVE PREVIOUSLY GONE FORWARD THRU SOME OF THEM.)
ON	-	IS THE RETURNED ON TIME (HRS.) (REAL*4 VARIABLE)
OFF	-	IS THE RETURNED OFF TIME (HRS.) (REAL*4 VARIABLE)
DUR	-	IS THE RETURNED DURATION (MIN.) (REAL*4 VARIABLE)
IERR	-	IS THE ERROR STATUS FLAG 0 = NO ERROR 1 = END OF PARTITION (FORWARD ACCESS) OR TOP OF PARTITION (BACKWARD ACCESS) 2 = TARGET NOT FOUND

TABLE A-7

ROUTINE TO GET THE ACTIVITY TEXT STRING
ASSOCIATED WITH AN ON/OFF RECORD

CALL ACT_TEXT(LTEXT,ITPT,TEXT)

WHERE:

LTEXT	-	IS THE LOGICAL UNIT NUMBER USED TO OPEN THE TEXT FILE.
ITPT	-	IS THE TEXT POINTER WHICH WAS OBTAINED ALONG WITH THE ON/OFF DATA.
TEXT	-	IS THE RETURNED ACTIVITY TEXT STRING. (NOTE: TEXT IS A CHARACTER STRING VARIABLE WHOSE LENGTH CAN BE SET BY THE CALLING PROGRAM FROM 1-80)

TO OPEN THE TEXT FILE IN THE CALLING PROGRAM USE:

```
OPEN(UNIT=LTEXT,NAME='(EL121)TEXT.DAT',TYPE='OLD',  
* ACCESS='DIRECT',RECORDSIZE=21,READONLY,ERR=___)
```

WHERE YOU FILL IN THE ERP CLAUSE IF THE TEXT FILE
HAS NOT BEEN CREATED.

TABLE A-8

ROUTINE TO CONVERT AN ON OR OFF TIME INTO A
CHARACTER STRING FORMAT OF (HHH:MM)

CALL TIME_C(TIME,STRING)

WHERE:

TIME - IS AN ON OR OFF TIME YOU WISH
TO CONVERT. (REAL*4) (HRS.)

STRING - IS THE RETURNED 6-CHARACTER
STRING CONTAINING THE TIME
CONVERTED INTO HHH:MM.

NOTE: THE MINUTES PORTION (:MM) WILL NOT
CONTAIN ANY BLANKS, THEREFORE 1 MINUTE
WILL BE REPRESENTED AS :01 .

TABLE A-9

POCC Resource ON/OFF File Structure

The PCCC Resource ON/OFF files have been structured such that they are compatible with MIPS ON/OFF files and so that they may be used with existing software to manipulate the generated PCCC Resource ON/OFF data.

1.0 Subject Records

The subject records in all of the PCCC Resource ON/OFF files have the same structure. Each subject record consists of an array of 15 words (REAL*4) with the following structure:

Word 1 - Not used.

 2 - Denotes miscellaneous subject type (= 0.)

 3-4 - An 8-character name of the user/expt.

 5 - The resource type number, where:

 1. = Air-to-ground (A/G)

 2. = Manning (MAN)

 3. = Commanding (CMD)

 4. = Terminal Usage (TML)

 5. = Real-time data (RTD)

 6. = Gnd Support Equip. (GSE)

 7. = Playback Dump (PBD)

 6 - Header Card Text pointer for the subject.

 7-15 - Not used.

ORIGINAL PAGE IS
OF POOR QUALITY

TABLE A-9. (Continued)

2.0 ON/OFF Data Records

An ON/OFF data record also consists of an array of 15 words, but note that words 8-15 have a different structure depending on which PCCC resource is being described. Conversely, words 1-7 of each ON/OFF data record has the same structure regardless of the resource type, which is as follows:

Word	1 -	Partition number (used by read package)
	2 -	ON time (hrs.)
	3 -	OFF time (hrs.)
	4 -	Duration (min.)
	5-6	An 8-character name of the user/expt.
	7 -	An Associated text pointer (points to the resource activity text in the associated text file.)

The following sections will describe words 8-15 for each PCCC resource type.

2.1 A/G ON/OFF Data Records

Word	8 -	Desired/Required Flag
		0. = Desired
		1. = Required
	9-15	Not used.

2.2 MAP ON/OFF Data Records

Word	8-10	A 12-character group-id name
	11 -	Number of persons
	12 -	Room number
	13-15	Not used.

TABLE A-9. (Continued)

2.3 CMD ON/OFF Data Records

Word 8 - Number of Thru-out commands
 9 - Number of Two-stage commands
 10 - Number of Hazardous commands
 11 - Number of Critical commands
 12 - Room number
 13-15 Not used.

2.4 TEL ON/OFF Data Records

Word 8 - Number of terminals used
 9 - Room number
 10 - Terminal usage type
 1. = CMD only 9. = NRT, CMD
 2. = MON only 10. = NRT, MON
 3. = CMD, MON 11. = NRT, CMD, MON
 4. = DMP only 12. = NRT, DMP
 5. = DMP, CMD 13. = NRT, DMP, CMD
 6. = DMP, MON 14. = NRT, DMP, MON
 7. = DMP, CMD, 15. = NRT, DMP, CMD,
 MON MON
 8. = NRT only

2.5 RTD ON/OFF Data Records

Word 8 - Phase number
 9 - Source type
 0. = Unknown
 1. = ECIO
 2. = DCNN
 3. = BOTH
 10 - Destination type
 0. = Unknown
 1. = GSE
 2. = RTD
 3. = NRT
 11-15 Not used.

TABLE A-9. (Concluded)

2.6 GSE ON/OFF Data Records

Word	8-10	GSE Machine label (12 chars.)
	11 -	Room number
	12 -	Heat load (kBTU/hr)
	13 -	Power load (kVa)
	14-15	Not used.

2.7 PBD ON/OFF Data Records

Word	8 -	Phase number
	9 -	Source type (values same as RTD)
	10 -	Destination type (values same as RTD)
	11 -	Voice Playback flag 0. = NO 1. = YES
	12-15	Not used.

ORIGINAL PAGE IS
OF POOR QUALITY

APPENDIX B

POCC TIMELINE INPUT CARD FORMAT AND FIELD SPECIFICATION

POCC TIMELINE INPUT CARD FORMAT AND FIELD SPECIFICATION

Tables B-1 and B-2 describe the formats for the individual POCC resource input cards. The resource input cards for a particular user must be located in one distinct file with the user/experiment name used as the filename and a filetype of .INP (Example: ES200.INP).

Within an input file, the input cards are denoted by a 3-letter mnemonic beginning in column 1, and each succeeding field is denoted by commas, with the card ending with a semi-colon. There must be no intervening spaces except those that naturally exist in a textual field. Fields denoted in Table B-2 as "required" must contain appropriate data, and fields denoted as "optional" can be empty (i.e., two successive commas).

TABLE B-1. POCC TIMELINE INPUT CARD FORMAT

Card Name	Field Format
Header (HDR)	HDR, Exp, Chg No., Chg Date, Contact, TL Ref., Eqpt Desc;
Initiate (INI)	INI, Model, Step No., S/E, Run No., Target, Target Ref., Delta Time;
Terminate (TER)	TER, Model, Step No., S/E, Run No., Target, Target Ref., Delta Time;
Periodic (PER)	PER, Period, Target, Duration;
Duplicate (DUP)	DUP;
Comment (***)	***, Comment;
Air to Ground (A/G)	A/G, REQ/DES, Activity Text;
Manning (MAN)	MAN, Grp ID, No. People, Room No., Activity Text;
Command (CMD)	CMD, No. Thruput, No. Two-Stage, No. Haz, No. Crit, Room No., Activity Text/
Real Time Data (RTD)	RTD, Phase No., *Source, **Dest, Activity Text;
Playback/Dump (PBD)	PBD, Phase No., *Source, **Dest, VOICE, Activity Text;
Terminal (TML)	TML, No. Term, Room No., ***CMDN, Activity Text;
GSE (GSE)	GSE, Mach Label, Room No., Heat Load, Power Load, Activity Text;
Choose one: *Sources	Choose one or combination of: ***Symbol Activity
ECIO	GSF C Command
DCHN	RTD M Monitor
BOTH	NRT D Dump
	N Near Real Time

TABLE B-2. POCC RESOURCE INPUT CARDS-FIELD SPECIFICATION

Card Type	Field Name	Maximum Size (Characters)	Required or Optional	Field Type	Field Description
HDR	HDR	3	Req.	Char.	Mnemonic 'HDR' denoting header card; must start in col. 1.
	Expt-name	8	Req.	Char.	The user/Expt. name
	Chg-no.	2	Req.	Integer	Resource Input Change number (0-99)
	Chg-date	9	Req.	Char.	Resource Input Change date in format DD-MON-YY (example: 15-JAN-81)
INI	Contact	12	Req.	Char.	Person to contact regarding expt.
	MTL-ref	12	Req.	Char.	Identifies which mission timeline (MTL) was used to make resource inputs. At present, the date (MM/YY) of the MTL is used.
	Expt-Desc	20	Req.	Char.	Title or description of user/expt.
	INI	3	Req.	Char.	Mnemonic 'INI' (initiate card). Must start in column 1.
	Model-name	8	Req.	Char.	MTL model name used to determine resource's start time.
	Stop No.	2	Req.	Integer	MTL step number; used with model name to determine resource's start time.
	S/E-char	1	Req.	Char.	'S' means use model/step start time. 'E' means use mode/step end time as resource's start time.
	Run No.	2	Opt.	Integer	Specifies which occurrence of MTL mode 1/step to use. Empty field or zero means use all occurrences.
	Target Name	8	Opt.	Char.	Specifies MTL target name; the resource's start time is determined as the nth target occurrence from the model/step time.
	Target Ref.	3	Opt.	Integer	Specifies the nth target occurrence with a negative value (-n) meaning before model/step time. A zero means use model/step time if time is within a target start/stop, else use next target occurrence.
	Delta time	20	Opt.	Real	Specifies a delta time in decimal hours to be added (+DT) or subtracted (-DT) from computed resource start time.

TABLE B-2. (Continued)

Card Type	Field Name	Maximum Size (Characters)	Required or Optional	Field Type	Field Description
TER	TER	3	Req.	Char.	Mnemonic 'TER' meaning terminate card; must start in col. 1.
	Model-name	8	Req.	Char.	Same as INI but for resource's end time.
	Step. No.	2	Req.	Integer	Same as INI but for resource's end time.
	S/E-char.	1	Req.	Char.	Same as INI but for resource's end time.
	Run-No.	2	Opt.	Integer	Same as INI but for resource's end time.
	Target-Name	8	Opt.	Char.	Same as INI but for resource's end time.
	Target-Ref	3	Opt.	Integer	Same as INI but for resource's end time.
	Delta time	20	Opt.	Real	Same as INI but for resource's end time.
	PER	3	Req.	Char.	Mnemonic 'PER' meaning periodic card, must start in column 1.
	Period	20	See Note	Real	Specifies the period of time (in hours) between rescheduling of the resource within a timeframe described by INI/TER data.
PER	Target-name	8	See Note	Char.	Specifies the MTL target to use to correlate rescheduling of the resource within a timeframe described by INI/TER data.
	(Note: Fields 'period' and 'target-name' are mutually exclusive. You cannot use both, but you must use one or the other.)				
	Duration	20	Req.	Real	Specifies the duration of the resource usage in hours.

TABLE B-2. (Continued)

Curd Type	Field Name	Maximum Size (Characters)	Required or Optional	Field Type	Field Description
DUP	DUP	3	Required	Char.	Mnemonic 'DUP' meaning duplicate card; must start in col. 1.
***	Comment	3	Req.	Char.	Mnemonic '***' means comment card; must start in col. 1. This card type is not processed by programs CHECK or MET.
A/G	A/G	3	Req.	Char.	Mnemonic 'A/G' means Air-to-ground resource card; must start in col. 1.
	Required/Desired	3	Req.	Char.	'REQ' means Air-to-ground voice required. 'DES' means Air-to-ground voice desired.
	Act. Text	20	Opt.	Char.	Resource activity text
MAN	MAN	3	Req.	Char.	Mnemonic 'MAN' meaning manning resource card; must start in col. 1.
	Group id	12	Req.	Char.	Manning group/shift identifier
	= persons	2	Req.	Integer	Number of persons allocated.
	Room No.	2	Req.	Integer	POCC room # group occupies.
	Act. Text	20	Opt.	Char.	Resource Activity Text
CMD	CMD	3	Req.	Char.	Mnemonic 'CMD' meaning commanding resource; must start in col. 1.
	= Thruput	3	Req.	Integer	0-999, number of thruput commands to be sent.
	= Two stage	3	Req.	Integer	0-999, number of two-stage commands to be sent.
	= Hazardous	3	Req.	Integer	0-999, number of hazardous commands to be sent.
	= Critical	3	Req.	Integer	0-999, number of critical commands to be sent.
	Room #	1	Req.	Integer	POCC room number from which commands will be sent
	Act. Text	20	Opt.	Char.	Resource Activity Text

TABLE B-2. (Continued)

Card Type	Field Name	Maximum Size (Characters)	Required or Optional	Field Type	Field Description
RTD	RTD	3	Req.	Char.	Mnemonic "RTD" meaning real-time data resource card; must start in col. 1.
	Phase No.	2	Opt.	Integer	RTD Phase number
	Source	4	Opt.	Char.	Source of real-time data; choose one of: "ECIO", "DCHN", "BOTH".
	Destination	3	Opt.	Char.	Destination of real-time data; choose one of: "GSE", "RTD", "NRT".
	Act. Text	20	Opt.	Char.	Resource Activity Text
PBD	PBD	3	Req.	Char.	Mnemonic "PBD" meaning playback/dump resource card; must start in col. 1.
	Phase No.	2	Opt.	Integer	PBD Phase number
	Source	4	Opt.	Char.	Source of playback/dump data; choose one of: "ECIO", "DCHN", "BOTH"
	Destination	3	Opt.	Char.	Destination of playback-dump data; choose one of: "GSE", "RTD", "NRT"
	Voice	5	Opt.	Char.	Requesting Voice playback; use "VOICE" in field or leave blank.
TML	Act. Text	20	Opt.	Char.	Resource Activity Text
	TML	3	Req.	Char.	Mnemonic "TML" meaning POCC terminal resource card; must start in col. 1.
	# Terminals	1	Req.	Integer	Number of POCC terminals allocated.
	Room #	1	Req.	Integer	POCC Room # where terminals are located.
	CMIDN	4	Req.	Char.	Choose one or combination of "C", "M", "D", "N" Describes use of POCC terminals. C (commanding), M (monitoring), D (dump reads), N (near real-time).
	Act. Text	20	Opt.	Char.	Resource Activity Text

TABLE B-2. (Concluded)

Card Type	Field Name	Maximum Size (Characters)	Required or Optional	Field Type	Field Description
GSE	GSE	3	Req.	Char.	Mnemonic "GSE" meaning Ground Support Equip. resource card: must start in col. 1.
	Mach. label	12	Req.	Char.	GSE machine label or identifier
	Room #	1	Req.	Integer	POCC room = where GSE is located.
	Heat load	20	Req.	Real	GSE heat load specified in KBTU/hr.
	Power load	20	Req.	Real	GSE power load specified in KVA.
	Act. Text	20	Opt.	Char.	Resource Activity Text




Figure B-1. Structure of a POCC resource input file.

APPENDIX C

POCC TIMELINE ANALYSIS PROGRAM REPORTS

PRECEDING PAGE BLANK NOT FILMED

POCC TIMELINE ANALYSIS PROGRAM REPORTS USER NOTES

After login, the user may obtain a list of reports by entering REPORTS. When the return key is pressed, the prompt sign \$ will appear. The user then enters DIR for directory. When the return key is pressed, the directory on Figure C-1 will be printed.

The user may call any report in the directory to the terminal screen for viewing by entering T REPORT NAME.LIS after the prompt sign e.g., \$ T GSESUMARY.LIS [ENTER]. When the return key is pressed, the report called will appear on the screen. Samples of these reports are shown in Figure C-2.

RECEIVED FROM NAME 2004-01-08

```

$ REPORTS
  QSA1:CEL121.REPORTS
$ DIR

```

```

Directory _QSA1:CEL121.REPORTS

```

ATGSUMMARY.LIS;4	CHDSUMMARY.LIS;7	CHDSUMERR.LIS;7	CMDWINDOW.LIS;1
EA033.ENG;1	EA033SUM.REP;1	EA034.ENG;1	EA034SUM.REP;1
ES013.ENG;1	ES013SUM.REP;1	ES014.ENG;1	ES014SUM.REP;1
ES016.ENG;1	ES016SUM.REP;1	ES017.ENG;1	ES017SUM.REP;1
ES019.ENG;1	ES019B.ENG;1	ES019BSUM.REP;1	ES019SUM.REP;1
ES020.ENG;1	ES020SUM.REP;1	ES021.ENG;1	ES021SUM.REP;1
ES022.ENG;1	ES022SUM.REP;1	ES023.ENG;1	ES023SUM.REP;1
ES024.ENG;1	ES024SUM.REP;1	ES025.ENG;1	ES025SUM.REP;1
ES02632.ENG;1	ES027.ENG;1	ES027SUM.REP;1	ES028.ENG;1
ES028SUM.REP;1	ES029.ENG;1	ES029SUM.REP;1	ES030.ENG;1
ES030SUM.REP;1	ES031.ENG;1	ES031SUM.REP;1	ES201.ENG;1
ES300.ENG;1	ES300SUM.REP;1	ES338.ENG;1	ES338SUM.REP;1
ES356.ENG;1	ES356SUM.REP;1	GSESUMMARY.LIS;3	MANBYROOM.LIS;7
MANBYROOM.LIS;6	MANBYROOM.LIS;5	MANBYROOM.LIS;4	MANBYROOM.LIS;3
MANBYROOM.LIS;2	MANSUMMARY.LIS;5	NA008.ENG;1	NA008SUM.REP;1
NS001.ENG;3	NS001SUM.REP;2	NS002.ENG;1	NS002SUM.REP;2
NS003.ENG;1	NS003SUM.REP;1	NS005.ENG;2	NS005.ENG;1
NS005SUM.REP;1	NS100.ENG;1	NS100SUM.REP;1	NT011.ENG;1
NT011SUM.REP;1	OPSENG.ENG;1	RESSUMMARY.LIS;4	THLBYROOM.LIS;7
THLBYROOM.LIS;6	THLBYROOM.LIS;5	THLBYROOM.LIS;4	THLBYROOM.LIS;3
THLBYROOM.LIS;2	THLSUMMARY.LIS;2		

```

Total of 82 files.
$

```

Figure C-1. Reports directory.

REF	PLCC CAPS.			CAPAC. SUPPORT			FIBERS			ROUNDS			POUNDS			TOTAL		
	WEAT	P-0/H	KVA	HEAT	P-0/H	KVA	HEAT	P-0/H	KVA	HEAT	P-0/H	KVA	HEAT	P-0/H	KVA	HEAT	P-0/H	KVA
0.0	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
0.1	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
0.2	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
0.3	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
0.4	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
0.5	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
0.6	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
0.7	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
0.8	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
0.9	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
1.0	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
1.1	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
1.2	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
1.3	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
1.4	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
1.5	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
1.6	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
1.7	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
1.8	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
1.9	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
2.0	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
2.1	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
2.2	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
2.3	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
2.4	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
2.5	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
2.6	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
2.7	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
2.8	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
2.9	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
3.0	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
3.1	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
3.2	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
3.3	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
3.4	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
3.5	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
3.6	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
3.7	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
3.8	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
3.9	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
4.0	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
4.1	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
4.2	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
4.3	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
4.4	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
4.5	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
4.6	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
4.7	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
4.8	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	
4.9	0.00	0.00	0.00	0.00	0.00	0.00	2.10	0.72	68.90	23.00	106.40	36.00	0.00	0.00	175.40	59.72	59.72	

EXPERIMENT	CHANGE NO.	CHANGE DATE	PT. OF CONTACT	MSN TL REFERENCE	DESCRIPTION
1EA034	0	9-FEB-81	SCHATZ	2/81	NRSE
1ES013	0	15-DEC-80	J.DODSWORTH	2/81	GRILLE
1ES014	0	15-DEC-80	H.R.NYE	2/81	WAVES IN OH
1ES016	0	15-DEC-80	J.DODSWORTH	2/81	SOLAR SPECTRUM
1ES017	0	15-DEC-80	J.DODSWORTH	2/81	HED LYMAN ALPHA
1ES019	0	23-DEC-81	J.FEIN/DFVLR	2/81	LOW ENERGY ELECTRONS
1ES020	0	15-DEC-80	H.NYE	2/81	PICPAR
1ES021	0	15-DEC-80	G.BIDDIS	2/81	SOLAR CONSTANT
1ES022	0	15-DEC-80	G.BIDDIS	2/81	VAF
1ES023	0	15-DEC-80	H.NYE	2/81	XRAY SPECTROSCOPY
1ES024	0	23-DEC-80	J.FEIN/DFVLR	2/81	ISOSTACK
1ES025	0	23-JAN-81	H.R.NYE	2/81	MASS DISCRIMINATION
1ES2632	0	02-FEB-81	J.FEIN/DFVLR	2/81	VENOUS PR BLOOD SAMP
1ES027	0	23-DEC-80	J.FEIN/DFVLR	2/81	ADVANCED BIOTACK
1ES028	0	15-DEC-80	G.BIDDIS	2/81	RADIATIONCARD.
1ES029	0	23-DEC-80	J.FEIN/DFVLR	2/81	RIONAD
1ES030	0	15-DEC-80	H.NYE	2/81	MINI RCOR
1ES031	0	15-DEC-80	G.BIDDIS	2/81	LYMPHOCYTES
1ES201	0	10-MAR-81	J.FEIN/DFVLR	2/81	VESTIBULAR EXP
1ES300	0	23-JAN-81	K.FRIEDL	2/81	MAT SCI DOWR PACK
1ES338	0	15-DEC-80	G.BIDDIS	2/81	DIOXIDE CRYSTALS
1ES356	0	15-DEC-80	H.NYE	2/81	CRYSTAL GROWTH
1MA008	0	29-JAN-81	S.NONEMAN	2/81	ACR
1NS002	0	29-JAN-81	S.NONEMAN	2/81	SEPA
1NS003	0	29-JAN-81	S.NONEMAN	2/81	AEPI
1NT011	0	29-JAN-81	S.NONEMAN	2/81	TRINULLOLOGY
1NS001	0	27-FEB-81	D.HAVKS	2/81	ISO
1EA033	0	30-JAN-81	P.DAU/GSNC	2/81	HETRIC CANEPA
1NS100	0	11-FEB-81	S.NONEMAN	2/81	MINILAR
1NS005	0	9-JAN-81	S.NONEMAN	2/81	FAUST

Figure C-2. (Continued)

PCCC TITRATION ANALYSIS PROGRAM
HANDING SUMMARY ANALYSIS

PRINTED 1-APR-81

MET	ROOM 0	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	ROOM 7	ROOM 8	TOTAL
0.0	0	0	0	4	3	3	11	6	0	32
0.1	0	0	0	4	3	3	11	6	0	32
0.2	0	0	0	4	3	3	11	6	0	32
0.3	0	0	0	4	3	3	11	6	0	32
0.4	0	0	0	4	3	3	11	6	0	32
0.5	0	0	0	4	3	3	11	6	0	32
0.6	0	0	0	4	3	3	11	6	0	32
0.7	0	0	0	4	3	3	11	6	0	32
0.8	0	0	0	4	3	3	11	6	0	32
0.9	0	0	0	4	3	3	11	6	0	32
1.0	0	0	0	4	3	3	11	6	0	32
1.1	0	0	0	4	3	3	11	6	0	32
1.2	0	0	0	4	3	3	11	6	0	32
1.3	0	0	0	4	3	3	11	6	0	32
1.4	0	0	0	4	3	3	11	6	0	32
1.5	0	0	0	4	3	3	11	6	0	32
1.6	0	0	0	4	3	3	11	6	0	32
1.7	0	0	0	4	3	3	11	6	0	32
1.8	0	0	0	4	3	3	11	6	0	32
1.9	0	0	0	4	3	3	11	6	0	32
2.0	0	0	0	4	3	3	11	6	0	32
2.1	0	0	0	4	3	3	11	6	0	32
2.2	0	0	0	4	3	3	11	6	0	32
2.3	0	0	0	4	3	3	11	6	0	32
2.4	0	0	0	4	3	3	11	6	0	32
2.5	0	0	0	4	3	3	11	6	0	32
2.6	0	0	0	4	3	3	11	6	0	32
2.7	0	0	0	4	3	3	11	6	0	32
2.8	0	0	0	4	3	3	11	6	0	32
2.9	0	0	0	4	3	3	11	6	0	32
3.0	0	0	0	4	3	3	11	6	0	32
3.1	0	0	0	4	3	3	11	6	0	32
3.2	0	0	0	4	3	3	11	6	0	32
3.3	0	0	0	4	3	3	11	6	0	32
3.4	0	0	0	4	3	3	11	6	0	32
3.5	0	0	0	4	3	3	11	6	0	32
3.6	0	0	0	4	3	3	11	6	0	32
3.7	0	0	0	4	3	3	11	6	0	32
3.8	0	0	0	4	3	3	11	6	0	32
3.9	0	0	0	4	3	3	11	6	0	32
4.0	0	0	0	4	3	3	11	6	0	32
4.1	0	0	0	4	3	3	11	6	0	32
4.2	0	0	0	4	3	3	11	6	0	32
4.3	0	0	0	4	3	3	11	6	0	32
4.4	0	0	0	4	3	3	11	6	0	32
4.5	0	0	0	4	3	3	11	6	0	32
4.6	0	0	0	4	3	3	11	6	0	32
4.7	0	0	0	4	3	3	11	6	0	32
4.8	0	0	0	4	3	3	11	6	0	32
4.9	0	0	0	4	3	3	11	6	0	32

Figure C-2. (Continued)

EXPERIMENT	CHARGE NO.	CHANGE DATE	PT. OF CONTACT	MSN TL REFERENCE	DESCRIPTION
1EA014	0	9-FEB-81	SCHATZ	2/81	HRSE
1ES013	0	15-DEC-80	J. CONSWORTH	2/81	GRILLE
1ES016	0	15-DEC-80	J. CONSWORTH	2/81	SOLAR SPECTROPH
1ES017	0	15-DEC-80	J. CONSWORTH	2/81	H ²¹ LYMAN ALPHA
1ES019	0	23-DEC-81	J. FEIN/DFVLR	2/81	LOW ENERGY ELECTRONS
1ES020	0	15-DEC-80	H. NYE	2/81	PICPAR
1ES021	0	15-DEC-80	G. BIDDIS	2/81	SOLAR CONSTANT
1ES022	0	15-DEC-80	G. BIDDIS	2/81	VMFC
1ES023	0	15-DEC-80	H. NYE	2/81	XRAY SPECTROSCOPY
1ES024	0	23-DEC-80	J. FEIN/DFVLR	2/81	ISOSTACK
1ES031	0	15-DEC-80	G. BIDDIS	2/81	LYMPHOCYTES
1ES300	0	23-JAN-81	K. FRIEDL	2/81	NAT. SCI HOUR PACK
1NA008	0	29-JAN-81	S. NONEMAN	2/81	AC9
1NS002	0	28-JAN-81	S. NONEMAN	2/81	SEFAC
1NS003	0	29-JAN-81	S. NONEMAN	2/81	ASPI
1NT011	0	29-JAN-81	S. NONEMAN	2/81	TRIPOLOGY
1NS001	0	27-FEB-81	D. HANKS	2/81	ISO
1EA033	0	30-JAN-81	P. DAU/GSNC	2/81	4ETRIC CAMERA
1NS005	0	9-JAN-81	S. NONEMAN	2/81	FAUST

Figure C-2. (Continued)

PACC TIMELINE ANALYSIS PROGRAM

PRINTED 1-APR-81

ROOM 3 TERMINAL USER LIST

NET	ADS	TML TOTAL	USER/ID./PURPOSE
0.0		0	
0.1		0	
0.2		0	
0.3		0	
0.4		0	
0.5		0	
0.6		0	
0.7		0	
0.8		0	
0.9		0	
1.0		0	
1.1		0	
1.2		0	
1.3		0	
1.4		0	
1.5		0	
1.6		0	
1.7		0	
1.8		0	
1.9		0	
2.0		0	
2.1		0	
2.2		0	
2.3		0	
2.4		0	
2.5		0	
2.6		0	
2.7		0	
2.8		0	
2.9		0	
3.0	ADS	0	
3.1	ADS	0	
3.2	ADS	0	
3.3	ADS	0	
3.4	ADS	0	
3.5	ADS	0	
3.6	ADS	0	
3.7	ADS	0	
3.8	ADS	0	
3.9	ADS	0	
4.0		0	
4.1		0	
4.2	ADS	0	
4.3	ADS	0	
4.4	ADS	0	
4.5	ADS	0	
4.6	ADS	0	
4.7	ADS	0	
4.8	ADS	0	
4.9	ADS	0	

Figure C-2. (Continued)

EXPERIMENT	CHANGE NO.	CHANGE DATE	PT. OF CONTACT	MSM TL REFERENCE	DESCRIPTION
1EA033	0	30-JAN-81	P. DAI/ GSOC	2/81	METRIC CAMERA
1EA034	0	9-FEB-81	SCHATZ	2/81	WQSE
1ES013	0	15-DEC-80	J. DODSWORTH	2/81	GRILLE
1ES016	0	15-DEC-80	J. DODSWORTH	2/81	SOLAR SPECTRUM
1ES017	0	15-DEC-80	J. DODSWORTH	2/81	HAD LYMAN ALPHA
1ES019	0	23-DEC-81	J. FEIN/DFVLR	2/81	LOW ENERGY ELECTRONICS
1ES020	0	15-DEC-80	H. NYE	2/81	PICPAR
1ES021	0	15-DEC-80	G. RIDDIS	2/81	SOLAR CONSTANT
1ES022	0	15-DEC-80	G. RIDDIS	2/81	VWFC
1ES023	0	15-DEC-80	H. NYE	2/81	XRAY SPECTROSCOPY
1ES024	0	23-DEC-80	J. FEIN/DFVLR	2/81	IGNOSTACK
1ES031	0	15-DEC-80	G. RIDDIS	2/81	LYMPHOCYTES
1ES300	0	23-JAN-81	K. FRIEDL	2/81	MAT SCI OUR RACK
1NA008	0	29-JAN-81	S. NONEMAN	2/81	ACH
1NS001	0	27-FEB-81	D. HANKS	2/81	ISO
1NS002	0	28-JAN-81	S. NONEMAN	2/81	SEPAC
1NS003	0	29-JAN-81	S. NONEMAN	2/81	APPI
1NS005	0	9-JAN-81	S. NONEMAN	2/81	FAUST
1NT011	0	29-JAN-81	S. NONEMAN	2/81	TRILOGY

Figure C-2. (Continued)

POCC TIMELINE ANALYSIS PROGRAM

PRINTED 17-MAR-81

TERMINAL UTILIZATION SUMMARY

NET	RM 0 THL/USR	RM 1 THL/USR	RM 2 THL/USR	RM 3 THL/USR	RM 4 THL/USR	RM 5 THL/USR	RM 6 THL/USR	RM 7 THL/USR	RM 8 THL/USR	TOTAL THL/USR
0.0					1/1	1/1	2/2	2/2		4/6
0.1					1/1	1/1	2/2	2/2		4/6
0.2					1/1	1/1	2/2	2/2		4/6
0.3					1/1	1/1	2/2	2/2		4/6
0.4					1/1	1/1	2/2	2/2		4/6
0.5					1/1	1/1	2/2	2/2		4/6
0.6					1/1	1/1	2/2	2/2		4/6
0.7					1/1	1/1	2/2	2/2		4/6
0.8					1/1	1/1	2/2	2/2		4/6
0.9					1/1	1/1	2/2	2/2		4/6
1.0					1/1	1/1	2/2	2/2		4/6
1.1					1/1	1/1	2/2	2/2		4/6
1.2					1/1	1/1	2/2	2/2		4/6
1.3					1/1	1/1	2/2	2/2		4/6
1.4					1/1	1/1	2/2	2/2		4/6
1.5					1/1	1/1	2/2	2/2		4/6
1.6					1/1	1/1	2/2	2/2		4/6
1.7					1/1	1/1	2/2	2/2		4/6
1.8					1/1	1/1	2/2	2/2		4/6
1.9					1/1	1/1	2/2	2/2		4/6
2.0					1/1	1/1	2/2	2/2		4/6
2.1					1/1	1/1	2/2	2/2		4/6
2.2					1/1	1/1	2/2	2/2		4/6
2.3					1/1	1/1	2/2	2/2		4/6
2.4					1/1	1/1	2/2	2/2		4/6
2.5					1/1	1/1	2/2	2/2		4/6
2.6					1/1	1/1	2/2	2/2		4/6
2.7					1/1	1/1	2/2	2/2		4/6
2.8					1/1	1/1	2/2	2/2		4/6
2.9					1/1	1/1	2/2	2/2		4/6
3.0					1/1	1/1	2/2	2/2		4/6
3.1					1/1	1/1	2/2	2/2		4/6
3.2					1/1	1/1	2/2	2/2		4/6
3.3					1/1	1/1	2/2	2/2		4/6
3.4					1/1	1/1	2/2	2/2		4/6
3.5					1/1	1/1	2/2	2/2		4/6
3.6					1/1	1/1	2/2	2/2		4/6
3.7					1/1	1/1	2/2	2/2		4/6
3.8					1/1	1/1	2/2	2/2		4/6
3.9					1/1	1/1	2/2	2/2		4/6
4.0					1/1	1/1	2/2	2/2		4/6
4.1					1/1	1/1	2/2	2/2		4/6
4.2					1/1	1/1	2/2	2/2		4/6
4.3					1/1	1/1	2/2	2/2		4/6
4.4					1/1	1/1	2/2	2/2		4/6
4.5					1/1	1/1	2/2	2/2		4/6
4.6					1/1	1/1	2/2	2/2		4/6
4.7					1/1	1/1	2/2	2/2		4/6
4.8					1/1	1/1	2/2	2/2		4/6
4.9					1/1	1/1	2/2	2/2		4/6

Figure C-2. (Continued)

POCC TIMELINE ANALYSIS PROGRAM
INPUT LIST FOR SLICED

PRINTED 1-APR-81

EXPERIMENT	CHANGE NO.	CHANGE DATE	PT. OF CONTACT	MSN TL REFERENCE	DESCRIPTION
1EA034	0	9-FEB-81	SCHATZ	2/81	NRSE
1ES016	0	15-DEC-80	J.DJDSWORTH	2/81	SOLAR SPECTRUM
1ES019	0	23-DEC-81	J.FEIN/DFVLR	2/81	LOW ENERGY ELECTRONICS
1ES023	0	15-DEC-80	H.YFE	2/81	XRAY SPECTROSCOPY
0ESEN6	0	13-FEB-81	S.WONENHAN	2/81	XRAY DATA SET UPDATES
1EA033	0	30-JAN-81	P.DAU/GSOC	2/81	METRIC CAMERA

Figure C-2. (Continued)

PRINTED 1-APR-81

POCC-TIMELINE ANALYSIS PROGRAM
COMMANDING SUMMARY

AOS NO.	ACQ (HH:MM)	LOSS (HH:MM)	DURATION (MIN)	TOTAL CNDS	=	NO. THRUPT	+	NO. 2-STAGE	NO. HAZ.	NO. CRIT.	NO. USERS
1	3:00	3:13	13.50	0		0		0	0	0	0
2	3:22	3:49	27.00	0		0		0	0	0	0
3	4:16	4:45	29.43	60		60		0	0	0	1
4	4:59	5:24	25.00	60		60		0	0	0	1
5	5:56	6:18	22.00	20		20		0	0	0	1
6	6:35	6:56	21.14	0		0		0	0	0	0
7	7:08	7:19	11.00	0		0		0	0	0	0
8	7:27	7:52	25.00	0		0		0	0	0	0
9	8:00	8:29	29.00	5		5		0	0	0	0
10	8:53	9:29	36.00	73		73		0	0	0	1
11	9:30	10:03	33.00	80		80		0	0	0	1
12	10:42	11:10	28.00	23		23		0	0	0	2
13	11:12	11:37	25.00	20		20		0	0	0	1
14	12:29	13:17	48.00	38		38		0	0	0	3
15	13:57	14:22	25.00	100		100		0	0	0	2
16	14:24	14:52	28.03	110		110		0	0	0	2
17	15:47	16:15	28.00	50		50		0	0	0	3
18	16:44	17:08	24.00	10		10		0	0	0	2
19	17:23	17:47	24.00	60		55		5	0	0	4
20	18:16	18:42	26.00	45		40		5	0	0	4
21	18:55	19:21	25.41	55		50		5	0	0	4
22	19:50	20:36	46.00	5		5		0	0	0	1
23	20:48	21:12	24.03	70		70		0	0	0	2
24	21:27	22:15	48.41	65		65		0	0	0	2
25	22:21	22:45	24.00	10		10		0	0	0	2
26	23:08	23:55	46.41	5		5		0	0	0	1
27	23:57	24:22	25.00	10		10		0	0	0	2
28	24:46	25:18	31.65	10		10		0	0	0	2
29	25:20	26:03	43.50	15		15		0	0	0	2
30	26:20	27:04	43.65	41		41		0	0	0	2
31	27:53	28:36	43.40	146		146		0	0	0	2
32	28:38	29:52	14.00	68		68		0	0	0	2
33	29:26	29:47	21.40	48		48		0	0	0	2
34	30:05	30:45	40.00	63		63		0	0	0	2
35	30:59	31:39	39.85	35		30		5	0	0	3
36	31:41	32:12	31.00	40		35		5	0	0	3
37	32:49	33:21	32.00	135		125		10	0	0	3
38	34:30	35:02	32.00	20		20		0	0	0	3
39	36:10	36:39	29.00	45		45		0	0	0	2
40	37:47	38:12	25.00	75		75		0	0	0	3
41	39:21	39:46	25.00	20		20		0	0	0	3
42	40:35	41:16	40.67	25		25		0	0	0	2
43	41:19	41:50	30.93	10		10		0	0	0	2
44	42:08	42:50	42.40	95		95		0	0	0	2
45	42:52	43:17	24.98	40		40		0	0	0	2
46	43:42	44:27	44.68	5		5		0	0	0	1
47	44:29	44:45	16.71	30		30		0	0	0	2
48	45:19	46:08	48.76	95		95		0	0	0	2
49	47:00	47:35	35.38	5		5		0	0	0	1
50	47:39	47:55	15.86	35		35		0	0	0	2

Figure C-2. (Continued)

EXPERIMENT	CHANGE NO.	CHANGE DATE	PT. OF CONTACT	MSN TL REFERENCE	DESCRIPTION
1EA034	0	9-FEB-81	SCHATZ	2/81	MRSE
1ES013	0	15-DEC-80	J.DODDSWORTH	2/81	GRILLE
1ES019	0	23-DEC-81	J.FEIN/DFVLP	2/81	LOW ENERGY ELECTRONS
1ES2632	0	02-FEB-81	J.FEIN/DFVLP	2/81	VENOUS PR BLOOD SAMPL
1ES031	0	15-DEC-80	G.RIDDIS	2/81	LYMPHOCYTES
1ES201	0	10-MAR-81	J.FEIN/DFVLP	2/81	VESTIBULAR EXP
1NS002	0	26-JAN-81	S.NONEMAN	2/81	SEPAC
1NS003	0	29-JAN-81	S.NONEMAN	2/81	AEP1
1MT011	0	29-JAN-81	S.NONEMAN	2/81	TRILOGY
1NS001	0	27-FEB-81	D.HANKS	2/81	ISO
1EA033	0	30-JAN-81	P.DAU/GSQC	2/81	METRIC CAMERA
1NS100	0	11-FEB-81	S.NONEMAN	2/81	MINILAR

ORIGINAL PAGE IS
OF POOR QUALITY

Figure C-2. (Continued)

POCC TIMELINE ANALYSIS PROGRAM
AIR TO GROUND VOICE ANALYSIS

PRINTED 1-APR-81

MT	AUS	USER(S)/R OR D
0.0		
0.1		
0.2		
0.3		
0.4		
0.5		
0.6		
0.7		
0.8		
0.9		
1.0		
1.1		
1.2		
1.3		
1.4		
1.5		
1.6		
1.7		
1.8		
1.9		
2.0		
2.1		
2.2		
2.3		
2.4		
2.5		
2.6		
2.7		
2.8		
2.9		
3.0	AOS	NONE
3.1	AOS	NONE
3.2	AOS	NONE
3.3	AOS	NONE
3.4	AOS	NONE
3.5	AOS	NONE
3.6	AOS	NONE
3.7	AOS	NONE
3.8	AOS	NONE
3.9		
4.0		
4.1	AOS	NONE
4.2	AOS	NONE
4.3	AOS	NONE
4.4	AOS	NONE
4.5	AOS	NONE
4.6	AOS	NONE
4.7	AOS	NONE
4.8		
4.9	AOS	NONE

Figure C-2. (Continued)

POCC TIMELINE ANALYSIS PROGRAM
 INPUT LIST FOR SLICMP

PRINTED 1-APR-81

EXPERIMENT	CHANGE NO.	CHANGE DATE	PT. OF CONTACT	NSN TL REFERENCE	DESCRIPTION
1EA034	0	9-FEB-81	SCHATZ	2/81	MRSE
1ES016	0	15-DEC-80	J.DUNDSWORTH	2/81	SOLAR SPECTRUM
1ES019	0	23-DEC-81	J.FEIN/DFVLR	2/81	LOW ENERGY ELECTRONS
1ES023	0	15-DEC-80	H.NYE	2/81	XRAY SPECTROSCOPY
DPSENG	0	13-FEB-81	S.NONEVAH	2/81	MNU DATA SET UPDATES
1EA033	0	30-JAN-81	P.DAU/GSOC	2/81	METRIC CAMERA

Figure C-2. (Continued)

POCC TIMELINE ANALYSIS PROGRAM
COMMAND WINDOW REQUESTS

PRINTED 1-APR-81

EXPERIMENT	PM#	NO. THRUPUT	NO. TWO STAGE	NO. HAZ	NO. CRIT	ACTIVITY TEXT	AOS OPPORTUNITIES	OPEN	CLOSE
OPSENG	1	60	0	0	0	MASTER TL	3,1	4:00	5:00
OPSENG	1	20	0	0	0	POCC-HMU DATA SET	5	6:00	6:30
OPSENG	1	5	0	0	0	IES020 UNS OR STL MA	9	8:00	8:06
OPSENG	1	13	0	0	0	IEA033 HMU DATA SET	10	8:53	9:05
OPSENG	1	60	0	0	0	MASTER TL	10,11	9:00	10:00
OPSENG	1	20	0	0	0	IEA033 STL MAINT	11	9:30	9:42
IEA033	5	10	0	0	0	CAMERA OPS	12	10:07	11:01
OPSENG	1	13	0	0	0	IEA033 HMU DATA SET	12	10:42	10:54
OPSENG	1	20	0	0	0	IEA033 STL MAINT	13	11:12	11:24
IES016	2	20	0	0	0	PRE-OPS SETUP AND CA	14	12:28	13:10
IES023	4	5	0	0	0	EXPT CALIBRATION	14	12:29	12:47
OPSENG	1	13	0	0	0	IEA033 HMU DATA SET	14	12:29	12:41
IES023	4	5	0	0	0	EXPT CALIBRATION	15	13:57	14:15
OPSENG	1	70	0	0	0	IEA034 HUS MAINT	15,16	13:57	14:27
OPSENG	1	20	0	0	0	IEA033 STL MAINT	15	13:57	14:09
OPSENG	1	5	0	0	0	IES020 UNS OR STL MA	15	13:57	14:03
IES023	4	5	0	0	0	EXPT CALIBRATION	16	14:24	14:42
OPSENG	1	5	0	0	0	IES020 UNS OR STL MA	16	14:24	14:30
OPSENG	1	10	0	0	0	IES017 STL MAINT	16	14:24	14:42
OPSENG	1	20	0	0	0	IES017 SKO TABLE UPL	16	14:24	14:42
IEA033	5	10	0	0	0	CAMERA OPS	17	15:44	16:43
IES023	4	5	0	0	0	EXPT CALIBRATION	17	15:47	16:05
OPSENG	1	5	0	0	0	IES020 UNS OR STL MA	17	15:47	16:05
OPSENG	1	10	0	0	0	IES017 STL MAINT	17	15:47	16:05
OPSENG	1	20	0	0	0	IES017 SKO TABLE UPL	17	15:47	16:05
OPSENG	1	5	0	0	0	EXPT CALIBRATION	18	16:44	17:02
IEA033	5	10	0	0	0	IES020 UNS OR STL MA	18	16:44	16:50
OPSENG	1	5	0	0	0	CAMERA OPS	19	17:16	18:15
IES023	4	5	0	0	0	EXPT CALIBRATION	19	17:23	17:41
OPSENG	1	5	0	0	0	IES020 UNS OR STL MA	19	17:23	17:41
OPSENG	1	10	0	0	0	IES017 STL MAINT	19	17:23	17:41
OPSENG	1	20	0	0	0	IES017 SKO TABLE UPL	19	17:23	17:41
OPSENG	1	5	0	0	0	ISO STL'S	19	17:23	17:41
IEA034	5	0	5	0	0	EXP PERFORMANCE	19,20,21	17:32	19:29
OPSENG	1	20	0	0	0	POCC-HMU DATA SET	20	18:00	18:30
OPSENG	1	5	0	0	0	EXPT CALIBRATION	20	18:16	18:34
OPSENG	1	5	0	0	0	IES020 UNS OR STL MA	20,21	18:16	18:22
IEA033	5	10	0	0	0	CAMERA OPS	20,21	18:16	18:30
IES023	4	5	0	0	0	EXPT CALIBRATION	21	18:55	19:13
OPSENG	1	10	0	0	0	IES017 STL MAINT	21	18:55	19:13
OPSENG	1	20	0	0	0	IES017 SKO TABLE UPL	21	18:55	19:13
IEA033	5	10	0	0	0	ISO STL'S	21	18:55	19:13
IES023	4	5	0	0	0	EXPT CALIBRATION	22	19:10	19:10
OPSENG	1	5	0	0	0	IES020 UNS OR STL MA	22	19:10	19:10
OPSENG	1	10	0	0	0	EXPT CALIBRATION	23	20:48	21:06
OPSENG	1	5	0	0	0	ISO STL'S	23	20:48	20:54
OPSENG	1	60	0	0	0	MASTER TL	23,24	21:00	22:00
IES023	4	5	0	0	0	EXPT CALIBRATION	24	21:27	21:45
IES023	4	5	0	0	0	EXPT CALIBRATION	25	22:21	22:39

Figure C-2. (Continued)

EXPERIMENT	CHANGE NO.	CHANGE DATE	PT. OF CONTACT	NSC TL REFERENCE	DESCRIPTION
1EA014	0	9-FEB-91	SCHATZ	2/81	MRSE
1ES013	0	15-DEC-90	J.DODSWORTH	2/81	GRILL
1ES014	0	15-DEC-90	H.R.WYE	2/81	WAVES 1" OH
1ES016	0	15-DEC-90	J.DODSWORTH	2/81	SOLAR SPECTRUM
1ES017	0	15-DEC-90	J.DODSWORTH	2/81	H&O LYMAN ALPHA
1ES019	0	23-DEC-91	J.FEIN/DFVLR	2/81	LOW ENERGY ELECTRONS
1ES020	0	15-DEC-90	H.WYE	2/81	PICPAR
1ES021	0	15-DEC-90	G.RIDDIS	2/81	SOLAR CONSTANT
1ES022	0	15-DEC-90	G.RIDDIS	2/81	WFFC
1ES023	0	15-DEC-90	H.WYE	2/81	XRAY SPECTROSCOPY
1ES024	0	23-DEC-90	J.FEIN/DFVLR	2/81	ISOSTACK
1ES025	0	23-JAN-91	H.R.WYE	2/81	MASS DISCRIMINATION
1ES2632	0	02-FEB-91	J.FEIN/DFVLR	2/81	VENOUS PR BLOOD SAMP
1ES027	0	23-DEC-90	J.FEIN/DFVLR	2/81	ADVANCED BIOSACK
1ES028	0	15-DEC-90	G.RIDDIS	2/81	RALLISTOCARD
1ES029	0	23-DEC-90	J.FEIN/DFVLR	2/81	RIGRAD
1ES030	0	15-DEC-90	H.WYE	2/81	MINI PCOP
1ES031	0	15-DEC-90	G.RIDDIS	2/81	LYMPHOCYTES
1ES201	0	10-MAR-91	J.FEIN/DFVLR	2/81	VESTIBULAR EXP
1ES300	0	23-JAN-91	K.FRIEDL	2/81	MAT SCI DOUR PACY
1ES338	0	15-DEC-90	G.RIDDIS	2/81	DIODIDE CRYSTALS
1ES356	0	15-DEC-90	H.WYE	2/81	CRYSTAL GROWTH
1NA008	0	29-JAN-91	S.NOREMAN	2/81	ACR
1NS002	0	28-JAN-91	S.NOREMAN	2/81	SEDAC
1NS003	0	29-JAN-91	S.NOREMAN	2/81	AFPI
1NT011	0	29-JAN-91	S.NOREMAN	2/81	TRINOLOGY
1NS001	0	27-FEB-91	D.HAKS	2/81	ISO
1EA033	0	30-JAN-91	P.DAU/GSOC	2/81	METRIC CAMERA
1NS100	0	11-FEB-91	S.NOREMAN	2/81	MINILAR
1NS005	0	9-JAN-91	S.NOREMAN	2/81	FAUST

Figure C-2. (Continued)

POCC TIMELINE ANALYSIS PROGRAM
ROOM 3 MANNING ANALYSIS

PRINTED 1-APR-81

NET	EXPERIMENT/NO.	TOTAL
0.0	1ES027/1 1NS100/3	4
0.1	1ES027/1 1NS100/3	4
0.2	1ES027/1 1NS100/3	4
0.3	1ES027/1 1NS100/3	4
0.4	1ES027/1 1NS100/3	4
0.5	1ES027/1 1NS100/3	4
0.6	1ES027/1 1NS100/3	4
0.7	1ES027/1 1NS100/3	4
0.8	1ES027/1 1NS100/3	4
0.9	1ES027/1 1NS100/3	4
1.0	1ES027/1 1NS100/3	4
1.1	1ES027/1 1NS100/3	4
1.2	1ES027/1 1NS100/3	4
1.3	1ES027/1 1NS100/3	4
1.4	1ES027/1 1NS100/3	4
1.5	1ES027/1 1NS100/3	4
1.6	1ES027/1 1NS100/3	4
1.7	1ES027/1 1NS100/3	4
1.8	1ES027/1 1NS100/3	4
1.9	1ES027/1 1NS100/3	4
2.0	1ES027/1 1NS100/5	6
2.1	1ES027/1 1NS100/5	6
2.2	1ES027/1 1NS100/5	6
2.3	1ES027/1 1NS100/5	6
2.4	1ES027/1 1NS100/5	6
2.5	1ES027/1 1NS100/5	6
2.6	1ES027/1 1NS100/5	6
2.7	1ES027/1 1ES030/2	6
2.8	1ES027/1 1ES030/2	6
2.9	1ES027/1 1ES030/2	6
3.0	1ES027/1 1ES030/2	6
3.1	1ES027/1 1ES030/2	6
3.2	1ES027/1 1ES030/2	6
3.3	1ES027/1 1ES030/2	6
3.4	1ES027/1 1ES030/2	6
3.5	1ES027/1 1ES030/2	6
3.6	1ES027/1 1ES030/2	6
3.7	1ES027/1 1ES030/2	6
3.8	1ES027/1 1ES030/2	6
3.9	1ES027/1 1ES030/2	6
4.0	1ES027/1 1ES030/2	6
4.1	1ES027/1 1ES030/2	6
4.2	1ES027/1 1ES030/2	6
4.3	1ES027/1 1ES030/2	6
4.4	1ES027/1 1ES030/2	6
4.5	1ES027/1 1ES030/2	6
4.6	1ES027/1 1ES030/2	6
4.7	1ES027/1 1ES030/2	6
4.8	1ES027/1 1ES030/2	6
4.9	1ES027/1 1ES030/2	6

Figure C-2. (Continued)

ORIGINAL PAGE IS
OF POOR QUALITY

MET	AUS	A/G VOICE REQUIRD = R DESIPD = D	COMMENTS (TP/TS/HZ/CR)	USER POCMS									
				RM 0	RM 1	RM 2	RM 3	(NO. TFRNALS/NO. PEOPLE)	RM 4	RM 5	RM 6	RM 7	EF R
0.0				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
0.1				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
0.2				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
0.3				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
0.4				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
0.5				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
0.6				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
0.7				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
0.8				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
0.9				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
1.0				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
1.1				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
1.2				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
1.3				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
1.4				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
1.5				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
1.6				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
1.7				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
1.8				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
1.9				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
2.0				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
2.1				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
2.2				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
2.3				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
2.4				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
2.5				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
2.6				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
2.7				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
2.8				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
2.9				0/0	0/0	0/0	0/4	1/3	1/3	2/11	2/6	0/0	0/0
3.0	ADS	OR, OR	PASS DURATION 0.2HR	0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
3.1	ADS	OR, OR	-----0/0/0/0-----	0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
3.2	ADS	OR, OR		0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
3.3	ADS	OR, OR		0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
3.4	ADS	OR, OR		0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
3.5	ADS	OR, OR		0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
3.6	ADS	OR, OR		0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
3.7	ADS	OR, OR	PASS DURATION 0.5HR	0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
3.8	ADS	OR, OR	-----0/0/0/0-----	0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
3.9	ADS	OR, OR		0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
4.0				0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
4.1				0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
4.2	ADS	OR, OR		0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
4.3	ADS	OR, OR		0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
4.4	ADS	OR, OR		0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
4.5	ADS	OR, OR		0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
4.6	ADS	OR, OR	PASS DURATION 0.5HR	0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
4.7	ADS	OR, OR	-----0/0/0/0-----	0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
4.8	ADS	OR, OR		0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0
4.9	ADS	OR, OR		0/0	0/0	0/0	0/8	1/8	1/8	2/11	2/6	0/0	0/0

Figure C-2. (Continued)

COMMANDING SUMMARY DIAGNOSTICS

THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 38	
REC # 102 USER: LEA033 ON/OFF: 0.3365555573E+02	0.3450000000E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 39	
REC # 106 USER: LEA033 ON/OFF: 0.35166666704E+02	0.36022222443E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 39	
REC # 107 USER: LEA033 ON/OFF: 0.35322222366E+02	0.36127777710E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 40	
REC # 113 USER: LEA033 ON/OFF: 0.360555725E+02	0.37644444351E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 59	
REC # 173 USER: OPSENG ON/OFF: 0.5700000000E+02	0.5800000000E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 86	
REC # 268 USER: LEA033 ON/OFF: 0.8449444580E+02	0.8531666565E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 89	
REC # 286 USER: LEA033 ON/OFF: 0.8773332977E+02	0.8853333282E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 88	
REC # 287 USER: LEA034 ON/OFF: 0.8785555267E+02	0.8940555573E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 88	
REC # 288 USER: LEA033 ON/OFF: 0.8869999695E+02	0.8940000153E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 88	
REC # 289 USER: LEA033 ON/OFF: 0.88800000305E+02	0.8976666260E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 88	
REC # 290 USER: OPSENG ON/OFF: 0.9000000000E+02	0.9050000000E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 110	
REC # 399 USER: LEA033 ON/OFF: 0.1115611115E+03	0.1123666641E+03
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 111	
REC # 410 USER: OPSENG ON/OFF: 0.1140000000E+03	0.1145000000E+03
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 146	
REC # 507 USER: OPSENG ON/OFF: 0.1500000000E+03	0.1505000000E+03

Figure C-2. (Continued)

POCC TIMELINE ANALYSIS PROGRAM
POCC USER RESOURCE SUMMARY

HR.	ACS	A/C	EXPLOIMENT	CHC #	CHC DATE	POINT OF CONTACT	MSN TL REF	EXPERIMENT DESCRIPTION	TERMINAL NO.	ROOM USE	ROOM	GSE HEAT KBTU/H	PMH KVA
0.0			1MS001	0	17-FEB-81		OCTOBER 79		0	9	5	30.00	10.3
0.1				0		0			0	9	5	30.00	10.3
0.2				0		0			0	9	5	30.00	10.3
0.3				0		0			0	9	5	30.00	10.3
0.4				0		0			0	9	5	30.00	10.3
0.5				0		0			0	9	5	30.00	10.3
0.6				0		0			0	9	5	30.00	10.3
0.7				0		0			0	9	5	30.00	10.3
0.8				0		0			0	9	5	30.00	10.3
0.9				0		0			0	9	5	30.00	10.3
1.0				0		0			0	9	5	30.00	10.3
1.1				0		0			0	9	5	30.00	10.3
1.2				0		0			0	9	5	30.00	10.3
1.3				0		0			0	9	5	30.00	10.3
1.4				0		0			0	9	5	30.00	10.3
1.5				0		0			0	9	5	30.00	10.3
1.6				0		0			0	9	5	30.00	10.3
1.7				0		0			0	9	5	30.00	10.3
1.8				0		0			0	9	5	30.00	10.3
1.9				0		0			0	9	5	30.00	10.3
2.0				0		0			0	9	5	30.00	10.3
2.1				0		0			0	9	5	30.00	10.3
2.2				0		0			0	9	5	30.00	10.3
2.3				0		0			0	9	5	30.00	10.3
2.4				0		0			0	9	5	30.00	10.3
2.5				0		0			0	9	5	30.00	10.3
2.6				0		0			0	9	5	30.00	10.3
2.7				0		0			0	9	5	30.00	10.3
2.8				0		0			0	9	5	30.00	10.3
2.9				0		0			0	9	5	30.00	10.3
3.0	ADS			0		0			0	9	5	30.00	10.3
3.1	ADS			0		0			0	9	5	30.00	10.3
3.2	ADS			0		0			0	9	5	30.00	10.3
3.3	ADS			0		0			0	9	5	30.00	10.3
3.4	ADS			0		0			0	9	5	30.00	10.3
3.5	ADS			0		0			0	9	5	30.00	10.3
3.6	ADS			0		0			0	9	5	30.00	10.3
3.7	ACS			0		0			0	9	5	30.00	10.3
3.8	ACS			0		0			0	9	5	30.00	10.3
3.9	ACS			0		0			0	9	5	30.00	10.3
4.0				0		0			0	9	5	30.00	10.3
4.1	AUS			0		0			0	9	5	30.00	10.3
4.2	AUS			0		0			0	9	5	30.00	10.3
4.3	AUS			0		0			0	9	5	30.00	10.3
4.4	AUS			0		0			0	9	5	30.00	10.3
4.5	AUS			0		0			0	9	5	30.00	10.3
4.6	AUS			0		0			0	9	5	30.00	10.3

Figure C-2. (Continued)

EXPERIMENT 1FA0J4 CHG NO. 0 AS OF 9-FEB-81 CONTACT SCHATZ ,MRSE POC TL INPUT

*** ,STL AND HTL MAINT IN OPS ENGR

MANNING OF GROUP 34UPS WITH 4 PERSON(S) IN ROOM 5 FOR EXPERIMENT OPS

FROM THE START OF	TO THE END OF	PERSON(S)	IN ROOM 5	HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-0.5 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 12	RUN ALL	+1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-0.5 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 8	RUN ALL	+1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 8	RUN ALL	+1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 8	RUN ALL	+1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 6	RUN ALL	+1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 6	RUN ALL	+1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 6	RUN ALL	+1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 4	RUN ALL	+1.0 HOURS

MANNING OF GROUP 34UPS WITH 2 PERSON(S) IN ROOM 5 FOR UDS MAINT

FROM THE START OF	TO THE END OF	PERSON(S)	IN ROOM 5	HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN 1	-6.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN 1	-0.5 HOURS

*** ,THE DATA PREP MANNING IS AS REQ'D TO PREPARE FOR OPS

*** ,A/G REQ FOR REQUESTS TO PC TO EXECUTE CMDS

A/G VOICE REQUIRED FOR DATA PREP AND COORDINATION

FROM THE START OF	TO THE END OF	PERSON(S)	IN ROOM 5	HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 5	RUN ALL	HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 5	RUN ALL	HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 10	RUN ALL	HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 10	RUN ALL	HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 12	RUN ALL	HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 12	RUN ALL	HOURS

1 TERMINAL(S) REQUESTED IN ROOM 5 FOR CH FOR EXPERIMENT SUPPORT

FROM THE START OF	TO THE END OF	PERSON(S)	IN ROOM 5	HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-0.5 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 12	RUN ALL	+1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-0.5 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 9	RUN ALL	+1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 9	RUN ALL	+1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 9	RUN ALL	+1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 1	RUN ALL	-1.0 HOURS
FROM THE START OF 034-FS6H	TO THE END OF 034-FS6H	STEP 9	RUN ALL	+1.0 HOURS

Figure C-2. (Concluded)

APPENDIX D

POCC RESOURCE PROGRAMS, VAX OPERATING PROCEDURES

The user may run any of the programs listed in the following by entering the global symbol after the prompt sign \$:e.g., \$ CHECK [ENTER]. When the return key is pressed, the program will run. These programs are tutorial and call for a selection when the options appear on the terminal screen. After entering the option by typing the option number following the prompt sign \$, the program will continue until completed or aborted.

PROGRAM TITLE

CHECK

MET

PINPUT

ATGSUM

CMDSUM

CMDWIN

MANSUM

MANRM

TMLRM

TMLSUM

RESSUM

GSESUM

Username:
Password: Welcome to UAX/UHS Version U2.1

>>> TYPE 'UNO' FOR CURRENT USERS <<<
LOGIN NOTE TO ELI2 USERS...

THE FOLLOWING GLOBAL SYMBOLS RUN THE VARIOUS
POCC RESOURCE PROGRAMS:

CHECK - POCC INPUT SYNTAX CHECKING PROGRAM
NET - POCC NET CORRELATION PROGRAM
PINPUT - PRINT POCC INPUTS IN ENGLISH PROGRAM
ATCSUM - AIR-TO-GROUND SUMMARY REPORT PROGRAM
CDSUM - COMMANDING SUMMARY REPORT PROGRAM
CRDWIN - COMMAND WINDOW REPORT PROGRAM
MANSUM - MANNING SUMMARY REPORT PROGRAM
MANNR - MANNING BY ROOM REPORT PROGRAM
THLSUM - TERMINAL SUMMARY REPORT PROGRAM
THLRN - TERMINAL BY ROOM REPORT PROGRAM
RESSUM - POCC RESOURCE REQUIREMENTS SUMMARY PROGRAM
GSESUM - GSE LOADS SUMMARY PROGRAM

THE PROGRAMS THAT GENERATE REPORTS WILL PUT THEIR
LISTING FILES IN THE NEW DIRECTORY LELI21.REPORTS.
TO SET YOUR DEFAULT TO IT, JUST TYPE 'REPORTS'.

NOTE: DON'T USE THESE PROGRAMS UNLESS YOU
UNDERSTAND WHAT THEY DO.

ORIGINAL PAGE IS
OF POOR QUALITY

* CHECK

QSA1:TEL121.POCCTLDAT

LIST OF INPUT FILES IN DIRECTORY

-QSA1:TEL121.POCCTLDATJEA033.INP;8
 -QSA1:TEL121.POCCTLDATJEA034.INP;10
 -QSA1:TEL121.POCCTLDATJES013.INP;8
 -QSA1:TEL121.POCCTLDATJES014.INP;3
 -QSA1:TEL121.POCCTLDATJES016.INP;6
 -QSA1:TEL121.POCCTLDATJES017.INP;4
 -QSA1:TEL121.POCCTLDATJES019.INP;5
 -QSA1:TEL121.POCCTLDATJES019B.INP;3
 -QSA1:TEL121.POCCTLDATJES020.INP;7
 -QSA1:TEL121.POCCTLDATJES021.INP;7
 -QSA1:TEL121.POCCTLDATJES022.INP;7
 -QSA1:TEL121.POCCTLDATJES023.INP;5
 -QSA1:TEL121.POCCTLDATJES024.INP;2
 -QSA1:TEL121.POCCTLDATJES025.INP;10
 -QSA1:TEL121.POCCTLDATJES02632.INP;11
 -QSA1:TEL121.POCCTLDATJES027.INP;3
 -QSA1:TEL121.POCCTLDATJES028.INP;2
 -QSA1:TEL121.POCCTLDATJES029.INP;4
 -QSA1:TEL121.POCCTLDATJES030.INP;2
 -QSA1:TEL121.POCCTLDATJES031.INP;4
 -QSA1:TEL121.POCCTLDATJES201.INP;5
 -QSA1:TEL121.POCCTLDATJES300.INP;6
 -QSA1:TEL121.POCCTLDATJES330.INP;5
 -QSA1:TEL121.POCCTLDATJES336.INP;4
 -QSA1:TEL121.POCCTLDATJES356.INP;1
 -QSA1:TEL121.POCCTLDATJES008.INP;9
 -QSA1:TEL121.POCCTLDATJES001.INP;9
 -QSA1:TEL121.POCCTLDATJES002.INP;10
 -QSA1:TEL121.POCCTLDATJES003.INP;5
 -QSA1:TEL121.POCCTLDATJES005.INP;11
 -QSA1:TEL121.POCCTLDATJES100.INP;9
 -QSA1:TEL121.POCCTLDATJES1011.INP;3
 -QSA1:TEL121.POCCTLDATJES10PSENG.INP;10

POCC INPUT CARD ERROR CHECKING PROGRAM

OPTIONS AVAILABLE:

- 1 - BY PARTICULAR INPUT FILE
 2 - ALL INPUT FILES (LATEST VERSIONS)
 CHOOSE OPTION >1

ENTER INPUT FILENAME >NS005.INP

5 PER,4.0,,1.0;
 6 RTD,,ECIO,RTD,MON EXPERIMENT TEMPS AND STATUS;
 7 DUP;
 8 TML,1,4,MN,MON EXPERIMENT;
 9 DUP;
 10 MAN,STBY,3,4,EXPERIMENT OPERATIONS;
 11 INI,005-FOIA,1,5,,,,-1.0;
 12 TER,005-FOIA,4,E,,,,+0.3;
 13 MAN,PI,1,4,EXPERIMENT OPERATIONS;
 14 DUP;
 15 RTD,,,,MON EXPERIMENT;
 16 DUP;
 17 TML,1,4,MN,MON EXPERIMENT;
 18 DUP;
 19 MAN,PI,1,4,EXPERIMENT JOINT OPS;
 20 INI,005-FOIC,1,5,,,,-1.0;
 21 TER,005-FOIC,6,E,,,,+0.3;
 22 XXX,A/G DESIRED FOR TROUBLESHOOTING;
 23 RTD,,ECIO,RTD,MON EXPERIMENT;

LINE # CARD IMAGE

- 1 HOR,INS005,0,9-JAN-81,S.MONEMAN,2/81,FAUST;
 2 MAN,STBY,3,4,MONITOR EXPERIMENT TEMPS AND STATUS;
 3 INI,LAUNCH,,,,,+12.0;
 4 TER,LANDING,,,,,-12.0;

24 DUP;
25 TML,1,4,MN,MON EXPERIMENT;
26 DUP;
27 xxx,CMD NOT REQUIRED;
28 xxx,PBD NOT REQUIRED;

FILE: NS005.INP
FORTRAN STOP
\$ \$

HAS NO ERRORS.

\$ MET

OSAI:CEL121.POCCTLDAT1

LIST OF VERIFIED FILES IN DIRECTORY
 -OSAI:CEL121.POCCTLDAT1E033.UFY;13
 -OSAI:CEL121.POCCTLDAT1E034.UFY;4
 -OSAI:CEL121.POCCTLDAT1E013.UFY;8
 -OSAI:CEL121.POCCTLDAT1E014.UFY;3
 -OSAI:CEL121.POCCTLDAT1E016.UFY;5
 -OSAI:CEL121.POCCTLDAT1E019.UFY;3
 -OSAI:CEL121.POCCTLDAT1E019.UFY;4
 -OSAI:CEL121.POCCTLDAT1E0198.UFY;3
 -OSAI:CEL121.POCCTLDAT1E020.UFY;5
 -OSAI:CEL121.POCCTLDAT1E021.UFY;5
 -OSAI:CEL121.POCCTLDAT1E022.UFY;6
 -OSAI:CEL121.POCCTLDAT1E023.UFY;4
 -OSAI:CEL121.POCCTLDAT1E024.UFY;2
 -OSAI:CEL121.POCCTLDAT1E025.UFY;8
 -OSAI:CEL121.POCCTLDAT1E02632.UFY;1
 -OSAI:CEL121.POCCTLDAT1E027.UFY;3
 -OSAI:CEL121.POCCTLDAT1E028.UFY;2
 -OSAI:CEL121.POCCTLDAT1E029.UFY;4
 -OSAI:CEL121.POCCTLDAT1E030.UFY;4
 -OSAI:CEL121.POCCTLDAT1E031.UFY;3
 -OSAI:CEL121.POCCTLDAT1E031.UFY;4
 -OSAI:CEL121.POCCTLDAT1E038.UFY;4
 -OSAI:CEL121.POCCTLDAT1E0356.UFY;4
 -OSAI:CEL121.POCCTLDAT1E038.UFY;1
 -OSAI:CEL121.POCCTLDAT1E001.UFY;8
 -OSAI:CEL121.POCCTLDAT1E002.UFY;1
 -OSAI:CEL121.POCCTLDAT1E003.UFY;5
 -OSAI:CEL121.POCCTLDAT1E005.UFY;18
 -OSAI:CEL121.POCCTLDAT1E009.UFY;9
 -OSAI:CEL121.POCCTLDAT1E011.UFY;3
 -OSAI:CEL121.POCCTLDAT1E0PSENG.UFY;8

POCC MET CORRELATION PROGRAM

IT TAKES A WHILE TO INITIALIZE...

LANDING TIME IS 0.1655000000E+03 MET HOURS.

AVAILABLE OPTIONS:

0 - STOP PROCESSING
 1 - SINGLE VERIFIED INPUT FILE
 2 - PROCESS ALL VERIFIED INPUT FILES
 ENTER OPTION >1
 ENTER FILENAME >NS005.UFY

PROCESSING FILE: NS005.UFY

CORRELATING MAN FOR USER 1NS005 USING:
 INI-DATA: LAUNCH 0 0 :
 TER-DATA: LANDING 0 0 :
 0 12.00
 0 -12.00

GENERATING PERIODIC DATA USING:
 PER-DATA: 0.4000000000E+01
 1 0.1000000000E+0

GENERATING PERIODIC ON/OFF DATA

CORRELATING RTD FOR USER 1NS005 USING:
 INI-DATA: LAUNCH 0 0 :
 TER-DATA: LANDING 0 0 :
 0 12.00
 0 -12.00

DUPLICATING LAST RES-ON/OFF DATA

CORRELATING TML FOR USER 1NS005 USING:
 INI-DATA: LAUNCH 0 0 :
 TER-DATA: LANDING 0 0 :
 0 12.00
 0 -12.00

DUPLICATING LAST RES-ON/OFF DATA

CORRELATING MAN FOR USER 1NS005 USING:
 INI-DATA: 005-F01A 1 0S:
 TER-DATA: 005-F01A 4 0E:
 0 -1.00
 0 0.30

CORRELATING MAN FOR USER 1NS005 USING:
 INI-DATA: 005-F01A 1 0S:
 TER-DATA: 005-F01A 4 0E:
 0 -1.00
 0 0.30

DUPLICATING LAST RES-ON/OFF DATA

CORRELATING RTD FOR USER 1NS005 USING:
 INI-DATA: 005-F01A 1 0S:
 TER-DATA: 005-F01A 4 0E:
 0 -1.00
 0 0.30

DUPLICATING LAST RES-ON/OFF DATA

CORRELATING TML FOR USER 1NS005 USING:
 INI-DATA: 005-F01A 1 0S:
 TER-DATA: 005-F01A 4 0E:
 0 -1.00
 0 0.30

DUPLICATING LAST RES-ON/OFF DATA

CORRELATING MAN FOR USER 1NS005 USING:
 INI-DATA: 005-F01C 1 0S:
 TER-DATA: 005-F01C 6 0S:
 0 -1.00

0E: 0 0.30

CORRELATING RTD FOR USER 1NS005 USING: 0 -1.00
 INI-DATA: 005-FOIC 1 0E: 0 0.30
 TER-DATA: 005-FOIC 6 0E:

PROCESSING FILE: SLIGSE
 PROCESSING FILE: SL1MAN
 PROCESSING FILE: SL1PBD
 PROCESSING FILE: SL1RTD
 PROCESSING FILE: SL1TML

THE FILES ARE NOW TIME-ORDERED

DUPLICATING LAST RES-ON/OFF DATA

CORRELATING TML FOR USER 1NS005 USING: 0 -1.00
 INI-DATA: 005-FOIC 1 0E: 0 0.30
 TER-DATA: 005-FOIC 6 0E:

DUPLICATING LAST RES-ON/OFF DATA

--- ACCESSING OLD RES FILE: CEL1213SL1MAN.DAT ---

--- OLD SUBJECT 1NS005 DELETED FROM FILE

--- NEW SUBJECT 1NS005 INCLUDED IN FILE

--- ACCESSING OLD RES FILE: CEL1213SL1TML.DAT ---

--- OLD SUBJECT 1NS005 DELETED FROM FILE

--- NEW SUBJECT 1NS005 INCLUDED IN FILE

--- ACCESSING OLD RES FILE: CEL1213SL1RTD.DAT ---

--- OLD SUBJECT 1NS005 DELETED FROM FILE

--- NEW SUBJECT 1NS005 INCLUDED IN FILE

--- RESOURCE(S) ON/OFF DATA WRITTEN TO PERMANENT FILE(S) ---

AVAILABLE OPTIONS:

- 0 - STOP PROCESSING
 - 1 - SINGLE VERIFIED INPUT FILE
 - 2 - PROCESS ALL VERIFIED INPUT FILES
- ENTER OPTION >0

PROCESSING COMPLETED. A COPY OF THE TERMINAL PRINTOUT IS LOCATED IN FILE: POCCHET.LIS FOR YOUR USE.

TYPE 8 TYPE POCCHET.LIS TO LIST IT ON TT:
 OR 8 PRINT POCCHET.LIS TO SPOOL IT ON LP:

ALL DONE

THE ON/OFF FILES ARE NOW BEING TIME-ORDERED.
 IT MAY TAKE A WHILE...

PROCESSING FILE: SL1ATC

PROCESSING FILE: SL1CMD

```

$ PINPUT
  QSA1:CEL121.POCCTLDAT1
VERIFIED INPUT REVIEW PROGRAM

LIST OF VERIFIED FILES
-QSA1:CEL121.POCCTLDAT1E033.UFY;13
-QSA1:CEL121.POCCTLDAT1E034.UFY;4
-QSA1:CEL121.POCCTLDAT1E013.UFY;8
-QSA1:CEL121.POCCTLDAT1E014.UFY;3
-QSA1:CEL121.POCCTLDAT1E016.UFY;5
-QSA1:CEL121.POCCTLDAT1E017.UFY;3
-QSA1:CEL121.POCCTLDAT1E019.UFY;4
-QSA1:CEL121.POCCTLDAT1E0198.UFY;3
-QSA1:CEL121.POCCTLDAT1E020.UFY;5
-QSA1:CEL121.POCCTLDAT1E021.UFY;5
-QSA1:CEL121.POCCTLDAT1E022.UFY;6
-QSA1:CEL121.POCCTLDAT1E023.UFY;4
-QSA1:CEL121.POCCTLDAT1E024.UFY;2
-QSA1:CEL121.POCCTLDAT1E025.UFY;8
-QSA1:CEL121.POCCTLDAT1E02632.UFY;1
-QSA1:CEL121.POCCTLDAT1E027.UFY;3
-QSA1:CEL121.POCCTLDAT1E028.UFY;2
-QSA1:CEL121.POCCTLDAT1E029.UFY;4
-QSA1:CEL121.POCCTLDAT1E030.UFY;4
-QSA1:CEL121.POCCTLDAT1E031.UFY;3
-QSA1:CEL121.POCCTLDAT1E0300.UFY;4
-QSA1:CEL121.POCCTLDAT1E038.UFY;4
-QSA1:CEL121.POCCTLDAT1E0366.UFY;4
-QSA1:CEL121.POCCTLDAT1E008.UFY;1
-QSA1:CEL121.POCCTLDAT1E001.UFY;8
-QSA1:CEL121.POCCTLDAT1E002.UFY;1
-QSA1:CEL121.POCCTLDAT1E003.UFY;5
-QSA1:CEL121.POCCTLDAT1E005.UFY;18
-QSA1:CEL121.POCCTLDAT1E00.UFY;9
-QSA1:CEL121.POCCTLDAT1E011.UFY;3
-QSA1:CEL121.POCCTLDAT1E0PSENG.UFY;8
AVAILABLE OPTIONS:
  1 - ALL UFY FILES
  2 - INDIVIDUAL FILE
ENTER OPTION: 2
ENTER FILENAME: NS005.UFY
DO YOU WANT TO SPOOL THE PRINT FILE(S) (YES/NO): YES
  Job 154 entered on queue LP00
$

```

\$ ATGSUM
AIR TO GROUND SUMMARY REPORT PROGRAM

AVAILABLE OPTIONS -
1 - PROCESS FULL TIME SPAN
2 - ENTER A TIME SPAN TO PROCESS
ENTER OPTION >1
- FORTRAN STOP \$

8 CNDSUM

COMMAND SUMMARY REPORT PROGRAM
PREVIOUS LOGICAL NAME ASSIGNMENT REPLACED
PREVIOUS LOGICAL NAME ASSIGNMENT REPLACED

PROCESSING TDRS PERIOD # 10		
PROCESSING TDRS PERIOD # 20		
PROCESSING TDRS PERIOD # 30		
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 38		
REC # 102 USER: 1EA033 ON/OFF:	0.336555573E+02	0.3450000000E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 39		
REC # 106 USER: 1EA033 ON/OFF:	0.3516666794E+02	0.3602222443E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 39		
REC # 107 USER: 1EA033 ON/OFF:	0.3532222366E+02	0.3612777710E+02
PROCESSING TDRS PERIOD # 40		
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 40		
REC # 113 USER: 1EA033 ON/OFF:	0.3680555725E+02	0.3764444351E+02
PROCESSING TDRS PERIOD # 50		
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 59		
REC # 173 USER: OPSNG ON/OFF:	0.5700000000E+02	0.5800000000E+02
PROCESSING TDRS PERIOD # 60		
PROCESSING TDRS PERIOD # 70		
PROCESSING TDRS PERIOD # 80		
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 86		
REC # 268 USER: 1EA033 ON/OFF:	0.8449444580E+02	0.8531666565E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 88		
REC # 286 USER: 1EA033 ON/OFF:	0.8773332977E+02	0.8853333282E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 88		
REC # 287 USER: 1EA034 ON/OFF:	0.8785555267E+02	0.8940555573E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 88		
REC # 288 USER: 1EA033 ON/OFF:	0.8869999695E+02	0.8940000153E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 88		
REC # 289 USER: 1EA033 ON/OFF:	0.8880000305E+02	0.8976666820E+02
THE FOLLOWING CMD ON/OFF IS NOT WITHIN TDRS PERIOD # 88		
REC # 290 USER: OPSNG ON/OFF:	0.9000000000E+02	0.9050000000E+02
PROCESSING TDRS PERIOD # 90		

ORIGINAL PAGE IS
OF POOR QUALITY

PROCESSING TDRS PERIOD \$ 100
 PROCESSING TDRS PERIOD \$ 110
 THE FOLLOWING CHD ON/OFF IS NOT WITHIN TDRS PERIOD \$ 110
 REC \$ 399 USER: 1E033 ON/OFF: 0.11561115E+03 0.1123666611E+03
 THE FOLLOWING CHD ON/OFF IS NOT WITHIN TDRS PERIOD \$ 111
 REC \$ 410 USER: 0P5ENG ON/OFF: 0.1140000000E+03 0.1145000000E+03
 PROCESSING TDRS PERIOD \$ 120
 PROCESSING TDRS PERIOD \$ 130
 PROCESSING TDRS PERIOD \$ 140
 THE FOLLOWING CHD ON/OFF IS NOT WITHIN TDRS PERIOD \$ 146
 REC \$ 507 USER: 0P5ENG ON/OFF: 0.150000000E+03 0.150500000E+03
 PROCESSING TDRS PERIOD \$ 150
 COMMAND SUMMARY REPORT COMPLETED!
 REPORT IS IN FILE: CHDSUMMARY.LIS

14 DIAGNOSTICS MESSAGES ARE IN FILE: CHDSUMERR.LIS
 FORTRAN STOP

\$ CHDUJIN
 COMMAND WINDOW REPORT PROGRAM
 FORTRAN STOP

```

$ MANSUM
MANAGING SUMMARY REPORT PROGRAM

AVAILABLE OPTIONS -
1 - PROCESS FULL TIME SPAN
2 - ENTER A TIME SPAN TO PROCESS
ENTER OPTION >1

PROCESSING USER: 1EA034
PROCESSING USER: 1ES013
PROCESSING USER: 1ES014
PROCESSING USER: 1ES016
PROCESSING USER: 1ES017
PROCESSING USER: 1ES019
PROCESSING USER: 1ES020
PROCESSING USER: 1ES021
PROCESSING USER: 1ES022
PROCESSING USER: 1ES023
PROCESSING USER: 1ES024
PROCESSING USER: 1ES025
PROCESSING USER: 1ES2632
PROCESSING USER: 1ES027
PROCESSING USER: 1ES028
PROCESSING USER: 1ES029
PROCESSING USER: 1ES030
PROCESSING USER: 1ES031
PROCESSING USER: 1ES201
PROCESSING USER: 1ES300
PROCESSING USER: 1ES338
PROCESSING USER: 1ES356
PROCESSING USER: 1NA008
PROCESSING USER: 1NS002
PROCESSING USER: 1NS003

```

```

PROCESSING USER: 1NT011
PROCESSING USER: 1NS001
PROCESSING USER: 1EA033
PROCESSING USER: 1NS100
PROCESSING USER: 1NS005
STARTING PRINTOUT
FORTRAN STOP
$

```

```

$ NAME
MAINING REPORT BY ROOM PROGRAM

AVAILABLE OPTIONS -
1 - PROCESS FULL TIME SPAN
2 - ENTER A TIME SPAN TO PROCESS
ENTER OPTION >1

ROOM SELECT OPTIONS -
1 - ALL ROOMS
2 - ONE PARTICULAR ROOM
ENTER OPTION >2

ENTER ROOM NUMBER (0-8) >3

PROCESSING ROOM # 3

PROCESSING USER: 1ES025

PROCESSING USER: 1ES2632

PROCESSING USER: 1ES027

PROCESSING USER: 1ES028

PROCESSING USER: 1ES029

PROCESSING USER: 1ES030

PROCESSING USER: 1ES031

PROCESSING USER: 1ES201

PROCESSING USER: 1ES338

PROCESSING USER: 1NS100

STARTING PRINTOUT
FORTAN STOP
$

```

```

$ TMLRM
TERMINAL BY ROOM REPORT PROGRAM

AVAILABLE OPTIONS -
1 - PROCESS FULL TIME SPAN
2 - ENTER A TIME SPAN TO PROCESS
ENTER OPTION >1

ROOM SELECT OPTIONS -
1 - ALL ROOMS
2 - ONE PARTICULAR ROOM
ENTER OPTION >2

ENTER ROOM NUMBER (0-8) >3

PROCESSING ROOM # 3

PROCESSING USER: 1ES031

STARTING PRINTOUT
FORTRAN STOP
$

```

\$ TMLSUM
TERMINAL UTIL. SUMMARY REPORT PROGRAM
PREVIOUS LOGICAL NAME ASSIGNMENT REPLACED
PREVIOUS LOGICAL NAME ASSIGNMENT REPLACED

AVAILABLE OPTIONS -

1 - PROCESS FULL TIME SPAN
2 - ENTER A TIME SPAN TO PROCESS
ENTER OPTION >1

PROCESSING USER: 1EA034

PROCESSING USER: 1ES013

PROCESSING USER: 1ES016

PROCESSING USER: 1ES017

PROCESSING USER: 1ES019

PROCESSING USER: 1ES020

PROCESSING USER: 1ES021

PROCESSING USER: 1ES022

PROCESSING USER: 1ES023

PROCESSING USER: 1ES024

PROCESSING USER: 1ES031

PROCESSING USER: 1ES300

PROCESSING USER: 1NA008

PROCESSING USER: 1NS002

PROCESSING USER: 1NS003

PROCESSING USER: 1NS005

PROCESSING USER: 1NT011

PROCESSING USER: 1NS001

PROCESSING USER: 1EA033

STARTING PRINTOUT
FORTRAN STOP

6

9. RESUM
 RESOURCE SUMMARY REPORT PROGRAM
 AVAILABLE OPTIONS -
 1 - PROCESS FULL TIME SPAN
 2 - ENTER A TIME SPAN TO PROCESS
 ENTER OPTION >1
 PROCESSING TDRS DATA
 PROCESSING A/G DATA
 PROCESSING CMD DATA
 PROCESSING TML DATA
 PROCESSING USER: 1EA034
 PROCESSING USER: 1ES013
 PROCESSING USER: 1ES016
 PROCESSING USER: 1ES017
 PROCESSING USER: 1ES019
 PROCESSING USER: 1ES020
 PROCESSING USER: 1ES021
 PROCESSING USER: 1ES022
 PROCESSING USER: 1ES023
 PROCESSING USER: 1ES024
 PROCESSING USER: 1ES025
 PROCESSING USER: 1ES2632
 PROCESSING USER: 1ES027
 PROCESSING USER: 1ES028
 PROCESSING USER: 1ES029
 PROCESSING USER: 1ES030
 PROCESSING USER: 1ES031
 PROCESSING USER: 1ES201
 PROCESSING USER: 1ES300
 PROCESSING USER: 1ES338
 PROCESSING USER: 1ES356
 PROCESSING USER: 1NA008
 PROCESSING USER: 1NS002
 PROCESSING USER: 1NS003
 PROCESSING USER: 1NT011
 PROCESSING USER: 1NS001
 PROCESSING USER: 1EA033
 PROCESSING USER: 1NS005
 PROCESSING NON DATA

PROCESSING USER: 1EA034
 PROCESSING USER: 1ES013
 PROCESSING USER: 1ES014
 PROCESSING USER: 1ES016
 PROCESSING USER: 1ES017
 PROCESSING USER: 1ES019
 PROCESSING USER: 1ES020
 PROCESSING USER: 1ES021
 PROCESSING USER: 1ES022
 PROCESSING USER: 1ES023
 PROCESSING USER: 1ES024
 PROCESSING USER: 1ES025
 PROCESSING USER: 1ES2632
 PROCESSING USER: 1ES027
 PROCESSING USER: 1ES028
 PROCESSING USER: 1ES029
 PROCESSING USER: 1ES030
 PROCESSING USER: 1ES031
 PROCESSING USER: 1ES201
 PROCESSING USER: 1ES300
 PROCESSING USER: 1ES338
 PROCESSING USER: 1ES356
 PROCESSING USER: 1NA008
 PROCESSING USER: 1NS002
 PROCESSING USER: 1NS003
 PROCESSING USER: 1NT011

PROCESSING USER: 1EA033
PROCESSING USER: 1NS100
PROCESSING USER: 1NS005

xxx STARTING OUTPUT xxx
FORTRAN STOP
\$

\$ GSESUM
GSE SUMMARY REPORT PROGRAM
AVAILABLE OPTIONS -
1 - PROCESS FULL TIME SPAN
2 - ENTER A TIME SPAN TO PROCESS
ENTER OPTION >1

PROCESSING USER: 1EA034
PROCESSING USER: 1ES013
PROCESSING USER: 1ES016
PROCESSING USER: 1ES017
PROCESSING USER: 1ES019
PROCESSING USER: 1ES020
PROCESSING USER: 1ES023
PROCESSING USER: 1NA008
PROCESSING USER: 1NS002
PROCESSING USER: 1NS003
PROCESSING USER: 1NT011
PROCESSING USER: 1NS001
PROCESSING USER: 1NS100


xxx STARTING PRINTOUT xxx
FORTRAN STOP
\$

APPROVAL

PAYLOAD OPERATIONS CONTROL CENTER (POCC) TIMELINE ANALYSIS PROGRAM

By Dr. David L. Shipman, Steven R. Noneman,
and E. Steven Terry

The information in this report has been reviewed for technical content. Review of any information concerning Department of Defense or nuclear energy activities or programs has been made by the MSFC Security Classification Officer. This report, in its entirety, has been determined to be unclassified.



G. D. HOPSON

Director, Systems Analysis and
Integration Laboratory